

Algebraic Geometry

Foundations

14Axx

- [1] E. Ballico, E. Gasparim, and T. Kölppe. Vector bundles near negative curves: Moduli and local Euler characteristic. *Comm. Algebra*, 37(8):2688–2713, 2009.
- [2] Pavel Etingof and Victor Ginzburg. Noncommutative complete intersections and matrix integrals. *Pure Appl. Math. Q.*, 3(1, part 3):107–151, 2007.
- [3] Kira Samol and Duco van Straten. Frobenius polynomials for Calabi-Yau equations. *Commun. Number Theory Phys.*, 2(3):537–561, 2008.

Algebraic Geometry

Local Theory

14Bxx

- [1] Stefan Schröer. Singularities appearing on generic fibers of morphisms between smooth schemes. *Michigan Math. J.*, 56(1):55–76, 2008.

Algebraic Geometry

Cycles and Subschemes

14Cxx

- [1] Timothy G. Abbott, Kiran S. Kedlaya, and David Roe. Bounding Picard numbers of surfaces using p -adic cohomology. [arXiv:math.NT/0601508 v1](#), 33 pages, 2006.
- [2] Anita Buckley and Balázs Szendrői. Orbifold Riemann-Roch for threefolds with an application to Calabi-Yau geometry. *J. Algebraic Geom.*, 14(4):601–622, 2005.
- [3] Ulrich Derenthal. On the Cox ring of del Pezzo surfaces. [arXiv:math.AG/0603111](#), 17 pages, 2006.
- [4] Pierre Guillot. The Chow rings of G_2 and $\text{Spin}(7)$. *J. Reine Angew. Math.*, 604:137–158, 2007.
- [5] F. Hess. Computing Riemann-Roch spaces in algebraic function fields and related topics. *J. Symbolic Comput.*, 33(4):425–445, 2002.
- [6] David Joyner and Amy Ksir. Modular representations on some Riemann-Roch spaces of modular curves $X(N)$. In *Computational Aspects of Algebraic Curves*, volume 13 of *Lecture Notes Ser. Comput.*, pages 163–205. World Sci. Publ., Hackensack, NJ, 2005.
- [7] Roger Oyono. Non-hyperelliptic modular Jacobians of dimension 3. *Math. Comp.*, 78(266):1173–1191, 2009.
- [8] Magda Sebestean. *Correspondance de McKay et Equivalences Derivees*. PhD thesis, Paris VII, 2005.
- [9] Kaori Suzuki. On Fano indices of Q -Fano 3-folds. *Manuscripta Math.*, 114(2):229–246, 2004.
- [10] Ronald van Luijk. $K3$ surfaces with Picard number one and infinitely many rational points. [arXiv:math.AG/0506416 v2](#), 10 pages, 2005.

Algebraic Geometry

Birational Geometry

14Exx

- [1] I. C. Bauer, F. Catanese, and F. Grunewald. The classification of surfaces with $p_g = q = 0$ isogenous to a product of curves. *Pure Appl. Math. Q.*, 4(2, part 1):547–586, 2008.
- [2] Christian Böhning. The rationality of the moduli space of curves of genus 3 after P. Katsylo. [arXiv:0804.1509v1](https://arxiv.org/abs/0804.1509v1) [math.AG], 39 pages, 2008.
- [3] Gavin Brown and Daniel Ryder. Elliptic fibrations on cubic surfaces. *Journal of Pure and Applied Algebra*, In Press, 2009.
- [4] Laurent Busé and Jean-Pierre Jouanolou. On the closed image of a rational map and the implicitization problem. *J. Algebra*, 265(1):312–357, 2003.
- [5] Tetsuo Nakano. On the moduli space of pointed algebraic curves of low genus. II. Rationality. *Tokyo J. Math.*, 31(1):147–160, 2008.
- [6] Tetsuo Nakano and Hiroyasu Nishikubo. On some maximal Galois coverings over affine and projective planes. II. *Tokyo J. Math.*, 23(2):295–310, 2000.
- [7] Stavros Argyrios Papadakis. Type II unprojection. *J. Algebraic Geom.*, 15(3):399–414, 2006.
- [8] Miles Reid. Graded rings and birational geometry. *Preprint*, 72 pages, 2000.

Algebraic Geometry

Homology and Cohomology Theory

14Fxx

- [1] Timothy G. Abbott, Kiran S. Kedlaya, and David Roe. Bounding Picard numbers of surfaces using p -adic cohomology. [arXiv:math.NT/0601508 v1](#), 33 pages, 2006.
- [2] Martin Bright. Brauer groups of diagonal quartic surfaces. *J. Symbolic Comput.*, 41(5):544–558, 2006.
- [3] Michael Dettweiler and Stefan Reiter. On exceptional rigid local systems. [arXiv:math.AG/0609142](#), 11 pages, 2006.
- [4] Anthony Henderson and Eric Rains. The cohomology of real De Concini-Procesi models of Coxeter type. *Int. Math. Res. Not. IMRN*, (7):Art. ID rnn001, 29, 2008.
- [5] Kiran S. Kedlaya. Computing zeta functions via p -adic cohomology. In *Algorithmic Number Theory*, volume 3076 of *Lecture Notes in Comput. Sci.*, pages 1–17. Springer, Berlin, 2004.
- [6] Andrew Kresch and Yuri Tschinkel. On the arithmetic of del Pezzo surfaces of degree 2. *Proc. London Math. Soc. (3)*, 89(3):545–569, 2004.
- [7] Andrew Kresch and Yuri Tschinkel. Effectivity of Brauer-Manin obstructions. *Adv. Math.*, 218(1):1–27, 2008.
- [8] G. I. Lehrer. The cohomology of the regular semisimple variety. *J. Algebra*, 199(2):666–689, 1998.
- [9] Stefan Schröer. Singularities appearing on generic fibers of morphisms between smooth schemes. *Michigan Math. J.*, 56(1):55–76, 2008.

Algebraic Geometry

Arithmetic and Diophantine Geometry

14Gxx

- [1] Matthew H. Baker, Enrique González-Jiménez, Josep González, and Bjorn Poonen. Finiteness results for modular curves of genus at least 2. *Amer. J. Math.*, 127(6):1325–1387, 2005.
- [2] Tatiana Bandman, Gert-Martin Greuel, Fritz Grunewald, Boris Kunyavskiĭ, Gerhard Pfister, and Eugene Plotkin. Identities for finite solvable groups and equations in finite simple groups. *Compos. Math.*, 142(3):734–764, 2006.
- [3] Arthur Baragar and Ronald van Luijk. $K3$ surfaces with Picard number three and canonical vector heights. *Math. Comp.*, 76(259):1493–1498 (electronic), 2007.
- [4] M. Borovoi, J.-L. Colliot-Thélène, and A. N. Skorobogatov. The elementary obstruction and homogeneous spaces. *Duke Math. J.*, 141(2):321–364, 2008.
- [5] Nigel Boston. Reducing the Fontaine-Mazur conjecture to group theory. In *Progress in Galois theory*, volume 12 of *Dev. Math.*, pages 39–50. Springer, New York, 2005.
- [6] Friederike Brezing and Annegret Weng. Elliptic curves suitable for pairing based cryptography. *Des. Codes Cryptogr.*, 37(1):133–141, 2005.
- [7] Ezra Brown, Bruce T. Myers, and Jerome A. Solinas. Hyperelliptic curves with compact parameters. *Des. Codes Cryptogr.*, 36(3):245–261, 2005.
- [8] Nils Bruin. Visualising $Sha[2]$ in abelian surfaces. *Math. Comp.*, 73(247):1459–1476 (electronic), 2004.
- [9] Patrick Corn. The Brauer-Manin obstruction on del Pezzo surfaces of degree 2. *Proc. Lond. Math. Soc. (3)*, 95(3):735–777, 2007.

- [10] Patrick Corn. Tate-Shafarevich groups and K3 surfaces. *Math. Comp.*, To appear, 17 pages, 2007.
- [11] Jan Denef and Frederik Vercauteren. An extension of Kedlaya’s algorithm to Artin-Schreier curves in characteristic 2. In *Algorithmic Number Theory (Sydney, 2002)*, volume 2369 of *Lecture Notes in Comput. Sci.*, pages 308–323. Springer, Berlin, 2002.
- [12] Claus Diem. The GHS attack in odd characteristic. *J. Ramanujan Math. Soc.*, 18(1):1–32, 2003.
- [13] Xander Faber and Benjamin Hutz. On the number of rational iterated pre-images of the origin under quadratic dynamical systems. [arXiv:0810.1715](https://arxiv.org/abs/0810.1715), 18 pages, 2008.
- [14] Xander Faber, Benjamin Hutz, Patrick Ingram, Rafe Jones, Michelle Manes, Thomas J. Tucker, and Michael E. Zieve. Uniform bounds on pre-images under quadratic dynamical systems. *Math. Res. Lett.*, 16(1):87–101, 2009.
- [15] Tom Fisher. A new approach to minimising binary quartics and ternary cubics. *Math. Res. Lett.*, 14(4):597–613, 2007.
- [16] Tom Fisher. Finding rational points on elliptic curves using 6-descent and 12-descent. *J. Algebra*, 320(2):853–884, 2008.
- [17] E. V. Flynn. The Hasse principle and the Brauer-Manin obstruction for curves. *Manuscripta Math.*, 115(4):437–466, 2004.
- [18] David Freeman and Kristin Lauter. Computing endomorphism rings of Jacobians of genus 2 curves over finite fields. In *Algebraic geometry and its applications*, volume 5 of *Ser. Number Theory Appl.*, pages 29–66. World Sci. Publ., Hackensack, NJ, 2008.
- [19] Steven D. Galbraith. Supersingular curves in cryptography. In *Advances in Cryptology—Asiacrypt 2001 (Gold Coast)*, volume 2248 of *Lecture Notes in Comput. Sci.*, pages 495–513. Springer, Berlin, 2001.
- [20] Steven D. Galbraith. Weil descent of Jacobians. *Discrete Appl. Math.*, 128(1):165–180, 2003.

- [21] Steven D. Galbraith, Florian Hess, and Nigel P. Smart. Extending the GHS Weil descent attack. In *Advances in Cryptology—Eurocrypt 2002 (Amsterdam)*, volume 2332 of *Lecture Notes in Comput. Sci.*, pages 29–44. Springer, Berlin, 2002.
- [22] Steven D. Galbraith and Xibin Lin. Computing pairings using x -coordinates only. *Des. Codes Cryptogr.*, 50(3):305–324, 2009.
- [23] P. Gaudry, F. Hess, and N. P. Smart. Constructive and destructive facets of Weil descent on elliptic curves. *J. Cryptology*, 15(1):19–46, 2002.
- [24] Pierrick Gaudry. An algorithm for solving the discrete log problem on hyperelliptic curves. In *Advances in Cryptology—Eurocrypt 2000 (Bruges)*, volume 1807 of *Lecture Notes in Comput. Sci.*, pages 19–34. Springer, Berlin, 2000.
- [25] Ralf Gerkmann. Relative rigid cohomology and deformation of hypersurfaces. *Int. Math. Res. Pap. IMRP*, (1):Art. ID rpm003, 67, 2007.
- [26] Josep González and Victor Rotger. Non-elliptic Shimura curves of genus one. *J. Math. Soc. Japan*, 58(4):927–948, 2006.
- [27] Cem Güneri, Henning Stichtenoth, and Ihsan Taşkın. Further improvements on the designed minimum distance of algebraic geometry codes. *J. Pure Appl. Algebra*, 213(1):87–97, 2009.
- [28] Johan P. Hansen. Toric varieties, Hirzebruch surfaces and error-correcting codes. *Appl. Algebra Engrg. Comm. Comput.*, 13(4):289–300, 2002.
- [29] David Harari and Tamás Szamuely. Galois sections for abelianized fundamental groups. *Math. Ann.*, 344(4):779–800, 2009.
- [30] David Harvey. Kedlaya’s algorithm in larger characteristic. *Int. Math. Res. Not. IMRN*, (22):Art. ID rnm095, 29, 2007.
- [31] F. Hess. Weil descent attacks. In *Advances in Elliptic Curve Cryptography*, volume 317 of *London Math. Soc. Lecture Note Ser.*, pages 151–180. Cambridge Univ. Press, Cambridge, 2005.
- [32] Florian Hess. A note on the Tate pairing of curves over finite fields. *Arch. Math. (Basel)*, 82(1):28–32, 2004.

- [33] Christopher Holden. Mod 4 Galois representations and elliptic curves. *Proc. Amer. Math. Soc.*, 136(1):31–39 (electronic), 2008.
- [34] E. W. Howe and K. E. Lauter. Improved upper bounds for the number of points on curves over finite fields. *Ann. Inst. Fourier (Grenoble)*, 53(6):1677–1737, 2003.
- [35] Everett W. Howe. Supersingular genus-2 curves over fields of characteristic 3. In *Computational arithmetic geometry*, volume 463 of *Contemp. Math.*, pages 49–69. Amer. Math. Soc., Providence, RI, 2008.
- [36] Everett W. Howe, Kristin E. Lauter, and Jaap Top. Pointless curves of genus three and four. In *Arithmetic, Geometry and Coding Theory (AGCT 2003)*, volume 11 of *Sémin. Congr.*, pages 125–141. Soc. Math. France, Paris, 2005.
- [37] Nathan Owen Ilten and Hendrik Süß. AG codes from polyhedral divisors. [arXiv:0811.2696](#), 30 pages, 2008.
- [38] Farzali A. Izadi and V. Kumar Murty. Counting points on an abelian variety over a finite field. In *Progress in Cryptology—Indocrypt 2003*, volume 2904 of *Lecture Notes in Comput. Sci.*, pages 323–333. Springer, Berlin, 2003.
- [39] Rafe Jones and Jeremy Rouse. Iterated endomorphisms of Abelian algebraic groups. [arXiv:0707.2384](#), 34 pages, 2007.
- [40] Samuel Kadziela. Rigid analytic uniformization of curves and the study of isogenies. *Acta Appl. Math.*, 99(2):185–204, 2007.
- [41] Kiran S. Kedlaya. Computing zeta functions via p -adic cohomology. In *Algorithmic Number Theory*, volume 3076 of *Lecture Notes in Comput. Sci.*, pages 1–17. Springer, Berlin, 2004.
- [42] Kenji Koike and Annegret Weng. Construction of CM Picard curves. *Math. Comp.*, 74(249):499–518 (electronic), 2005.
- [43] Aristides Kontogeorgis and Victor Rotger. On abelian automorphism groups of Mumford curves and applications to Shimura curves. [arXiv:math.AG/0604099](#), 16 pages, 2006.

- [44] Andrew Kresch and Yuri Tschinkel. Integral points on punctured abelian surfaces. In *Algorithmic Number Theory (Sydney, 2002)*, volume 2369 of *Lecture Notes in Comput. Sci.*, pages 198–204. Springer, Berlin, 2002.
- [45] Andrew Kresch and Yuri Tschinkel. On the arithmetic of del Pezzo surfaces of degree 2. *Proc. London Math. Soc. (3)*, 89(3):545–569, 2004.
- [46] Andrew Kresch and Yuri Tschinkel. Effectivity of Brauer-Manin obstructions. *Adv. Math.*, 218(1):1–27, 2008.
- [47] L. Kulesz, G. Matera, and É. Schost. Uniform bounds on the number of rational points of a family of curves of genus 2. *J. Number Theory*, 108(2):241–267, 2004.
- [48] Gilles Lachaud and Christophe Ritzenthaler. On a conjecture of Serre on abelian threefolds. In *Algebraic Geometry and its applications, Proceedings of the First SAGA conference, Papeete, France 2007*, pages 1–28, 2008.
- [49] Alan G. B. Lauder. Counting solutions to equations in many variables over finite fields. *Found. Comput. Math.*, 4(3):221–267, 2004.
- [50] Alan G. B. Lauder. A recursive method for computing zeta functions of varieties. *LMS J. Comput. Math.*, 9:222–269 (electronic), 2006.
- [51] F. Leprévost, M. Pohst, and A. Schöpp. Rational torsion of $J_0(N)$ for hyperelliptic modular curves and families of Jacobians of genus 2 and genus 3 curves with a rational point of order 5, 7 or 10. *Abh. Math. Sem. Univ. Hamburg*, 74:193–203, 2004.
- [52] John Little and Hal Schenck. Toric surface codes and Minkowski sums. *SIAM J. Discrete Math.*, 20(4):999–1014 (electronic), 2006.
- [53] Adam Logan. The Brauer-Manin obstruction on del Pezzo surfaces of degree 2 branched along a plane section of a Kummer surface. *Math. Proc. Cambridge Philos. Soc.*, 144(3):603–622, 2008.
- [54] Michelle Manes. Q -rational cycles for degree-2 rational maps having an automorphism. *Proc. Lond. Math. Soc. (3)*, 96(3):669–696, 2008.
- [55] David Savitt. The maximum number of points on a curve of genus 4 over F_8 is 25. *Canad. J. Math.*, 55(2):331–352, 2003.

- [56] Éric Schost. Computing parametric geometric resolutions. *Appl. Algebra Engrg. Comm. Comput.*, 13(5):349–393, 2003.
- [57] R. Shaw. The polynomial degrees of Grassmann and Segre varieties over $\text{GF}(2)$. *Discrete Math.*, 308(5-6):872–879, 2008.
- [58] Edlyn Teske. An elliptic curve trapdoor system (extended abstract). In *High Primes and Misdemeanours: Lectures in Honour of the 60th Birthday of Hugh Cowie Williams*, volume 41 of *Fields Inst. Commun.*, pages 341–352. Amer. Math. Soc., Providence, RI, 2004.
- [59] Ronald van Luijk. Quartic $K3$ surfaces without nontrivial automorphisms. *Math. Res. Lett.*, 13(2-3):423–439, 2006.
- [60] Ronald van Luijk. Cubic points on cubic curves and the brauer-manin obstruction on $k3$ surfaces. [arXiv:0708.2752v1](https://arxiv.org/abs/0708.2752v1) [[math.NT](https://arxiv.org/abs/0708.2752v1)], 17 pages, 2007.
- [61] Anthony Várilly-Alvarado and David Zywina. Arithmetic $E8$ lattices with maximal Galois action. [arXiv:0803.3063](https://arxiv.org/abs/0803.3063), 2008.
- [62] Eric R. Verheul. Evidence that XTR is more secure than supersingular elliptic curve cryptosystems. *J. Cryptology*, 17(4):277–296, 2004.
- [63] John Voight. Shimura curves of genus at most two. *Math. Comp.*, 78(266):1155–1172, 2009.
- [64] Gabor Wiese. Dihedral Galois representations and Katz modular forms. *Doc. Math.*, 9:123–133 (electronic), 2004.

Algebraic Geometry

Curves

14Hxx

- [1] S. Arita, S. Miura, and T. Sekiguchi. An addition algorithm on the Jacobian varieties of curves. *J. Ramanujan Math. Soc.*, 19(4):235–251, 2004.
- [2] Philip Boalch. Higher genus icosahedral Painlevé curves. *Funk. Ekvac. (Kobe)*, 50:19–32, 2007.
- [3] Irene I. Bouw and Stefan Wewers. Indigenous bundles with nilpotent p -curvature. *Int. Math. Res. Not.*, Art. ID 89254, 37 pages, 2006.
- [4] Louis Hugo Brewis. Lifiable D_4 -covers. *Manuscripta Math.*, 126(3):293–313, 2008.
- [5] Nils Bruin. The arithmetic of Prym varieties in genus 3. *Compos. Math.*, 144(2):317–338, 2008.
- [6] E. Bujalance, Marston Conder, J. M. Gamboa, G. Gromadzki, and M. Izquierdo. Double coverings of Klein surfaces by a given Riemann surface. *J. Pure Appl. Algebra*, 169(2-3):137–151, 2002.
- [7] Emilio Bujalance, F. J. Cirre, and Marston Conder. On extendability of group actions on compact Riemann surfaces. *Trans. Amer. Math. Soc.*, 355(4):1537–1557 (electronic), 2003.
- [8] Gabriel Cardona. Representations of G_k -groups and twists of the genus two curve $y^2 = x^5 - x$. *J. Algebra*, 303(2):707–721, 2006.
- [9] J.-M. Couveignes. Linearizing torsion classes in the Picard group of algebraic curves over finite fields. *J. Algebra*, 321(8):2085–2118, 2009.
- [10] John Cremona, Tom Fisher, Cathy O’Neil, Denis Simon, and Michael Stoll. Explicit n -descent on elliptic curves II: Geometry. [arXiv:math.NT/0611606](https://arxiv.org/abs/math.NT/0611606), 24 pages, 2006.

- [11] Laurent Ducrohet. The action of the Frobenius map on rank 2 vector bundles over genus 2 curves in small characteristics. [arXiv:math.AG/0512597](https://arxiv.org/abs/math/0512597), 50 pages, 2005.
- [12] Tom Fisher. Genus one curves defined by Pfaffians. 24 pages, 2004.
- [13] Tom Fisher. Testing equivalence of ternary cubics. In *Algorithmic Number Theory (Berlin, 2006)*, volume 4076 of *Lecture Notes in Comput. Sci.*, pages 333–345. Springer, Berlin, 2006.
- [14] Tom Fisher. The invariants of a genus one curve. *Proc. Lond. Math. Soc. (3)*, 97(3):753–782, 2008.
- [15] Stéphane Flon, Roger Oyono, and Christophe Ritzenthaler. Fast addition on non-hyperelliptic genus 3 curves. In *Algebraic geometry and its applications*, volume 5 of *Ser. Number Theory Appl.*, pages 1–28. World Sci. Publ., Hackensack, NJ, 2008.
- [16] P. Gaudry, F. Hess, and N. P. Smart. Constructive and destructive facets of Weil descent on elliptic curves. *J. Cryptology*, 15(1):19–46, 2002.
- [17] P. Gaudry, T. Houtmann, D. Kohel, C. Ritzenthaler, and A. Weng. The 2-adic CM method for genus 2 curves with application to cryptography. In *Advances in cryptology—ASIACRYPT 2006*, volume 4284 of *Lecture Notes in Comput. Sci.*, pages 114–129. Springer, Berlin, 2006.
- [18] P. Gaudry and É. Schost. On the invariants of the quotients of the Jacobian of a curve of genus 2. In *Applied Algebra, Algebraic Algorithms and Error-correcting Codes (Melbourne, 2001)*, volume 2227 of *Lecture Notes in Comput. Sci.*, pages 373–386. Springer, Berlin, 2001.
- [19] Martine Girard. The group of Weierstrass points of a plane quartic with at least eight hyperflexes. *Math. Comp.*, 75(255):1561–1583 (electronic), 2006.
- [20] Martine Girard and David R. Kohel. Classification of genus 3 curves in special strata of the moduli space. In *Algorithmic Number Theory (Berlin, 2006)*, volume 4076 of *Lecture Notes in Comput. Sci.*, pages 346–360. Springer, Berlin, 2006.

- [21] Edray Herber Goins and Davin Maddox. Heron triangles via elliptic curves. *Rocky Mountain J. Math.*, 36(5):1511–1526, 2006.
- [22] Jordi Guàrdia. Jacobian Nullwerte, periods and symmetric equations for hyperelliptic curves. *Ann. Inst. Fourier (Grenoble)*, 57(4):1253–1283, 2007.
- [23] Robert Guralnick and John Shareshian. Symmetric and alternating groups as monodromy groups of Riemann surfaces. I. Generic covers and covers with many branch points. *Mem. Amer. Math. Soc.*, 189(886):vi+128, 2007.
- [24] Emmanuel Hallouin. Study and computation of a Hurwitz space and totally real $\mathrm{PSL}_2(F_8)$ -extensions of Q . *J. Algebra*, 292(1):259–281, 2005.
- [25] F. Hess. Computing Riemann-Roch spaces in algebraic function fields and related topics. *J. Symbolic Comput.*, 33(4):425–445, 2002.
- [26] Florian Hess. An algorithm for computing Weierstrass points. In *Algorithmic Number Theory (Sydney, 2002)*, volume 2369 of *Lecture Notes in Comput. Sci.*, pages 357–371. Springer, Berlin, 2002.
- [27] Christopher Holden. Mod 4 Galois representations and elliptic curves. *Proc. Amer. Math. Soc.*, 136(1):31–39 (electronic), 2008.
- [28] Hendrik Hubrechts. Quasi-quadratic elliptic curve point counting using rigid cohomology. *J. Symb. Comput.*, 44(9):1255–1267, 2009.
- [29] Samuel Kadziela. Rigid analytic uniformization of curves and the study of isogenies. *Acta Appl. Math.*, 99(2):185–204, 2007.
- [30] A. Kontogeorgis. The ramification sequence for a fixed point of an automorphism of a curve and the Weierstrass gap sequence. *Math. Z.*, 259(3):471–479, 2008.
- [31] Aristides Kontogeorgis and Victor Rotger. On abelian automorphism groups of Mumford curves and applications to Shimura curves. [arXiv:math.AG/0604099](https://arxiv.org/abs/math/0604099), 16 pages, 2006.
- [32] Aristides Kontogeorgis and Yifan Yang. Automorphisms of hyperelliptic modular curves $X_0(n)$ in positive characteristic. [arXiv:0811.0876](https://arxiv.org/abs/0811.0876), 20 pages, 2008.

- [33] D. Lehavi and C. Ritzenthaler. Formulas for the arithmetic geometric mean of curves of genus 3. [arXiv:math.AG/0403182](#), 26 pages, 2005.
- [34] Claus Lehr and Michel Matignon. Wild monodromy and automorphisms of curves. *Duke Math. J.*, 135(3):569–586, 2006.
- [35] Adam Logan and Ronald van Luijk. Nontrivial elements of Sha explained through $K3$ surfaces. *Math. Comp.*, 78(265):441–483, 2009.
- [36] Kay Magaard, Tanush Shaska, and Helmut Völklein. Genus 2 curves that admit a degree 5 map to an elliptic curve. *Forum Math.*, 21(3):547–566, 2009.
- [37] Coy L. May and Jay Zimmerman. The groups of symmetric genus $\sigma \leq 8$. *Comm. Algebra*, 36(11):4078–4095, 2008.
- [38] Tetsuo Nakano. On the moduli space of pointed algebraic curves of low genus. II. Rationality. *Tokyo J. Math.*, 31(1):147–160, 2008.
- [39] Laura Hitt O’Connor, Gary McGuire, Michael Naehrig, and Marco Streng. CM construction of genus 2 curves with p -rank 1. [arXiv:0811.3434](#), 19 pages, 2008.
- [40] Adrien Poteaux. Computing monodromy groups defined by plane algebraic curves. In *SNC’07*, pages 36–45. ACM, New York, 2007.
- [41] Magali Rocher. Large p -group actions with a p -elementary abelian derived group. *Journal of Algebra*, 321(2):704 – 740, 2009.
- [42] Josef Schicho and David Sevilla. Tschirnhaus-Weierstrass curves. [arXiv:0808.3038](#), 14 pages, 2008.
- [43] Jasper Scholten and Hui June Zhu. Families of supersingular curves in characteristic 2. *Math. Res. Lett.*, 9(5-6):639–650, 2002.
- [44] T. Shaska. Computational aspects of hyperelliptic curves. In *Computer Mathematics*, volume 10 of *Lecture Notes Ser. Comput.*, pages 248–257. World Sci. Publishing, River Edge, NJ, 2003.
- [45] Tanush Shaska. Determining the automorphism group of a hyperelliptic curve. In *Proceedings of the 2003 International Symposium on Symbolic and Algebraic Computation*, pages 248–254 (electronic), New York, 2003. ACM.

- [46] Tony Shaska. Genus 2 curves with $(3, 3)$ -split Jacobian and large automorphism group. In *Algorithmic Number Theory (Sydney, 2002)*, volume 2369 of *Lecture Notes in Comput. Sci.*, pages 205–218. Springer, Berlin, 2002.
- [47] Paul B. van Wamelen. Computing with the analytic Jacobian of a genus 2 curve. In *Discovering Mathematics with Magma*, volume 19 of *Algorithms Comput. Math.*, pages 117–135. Springer, Berlin, 2006.
- [48] Yuri G. Zarhin. Absolutely simple Prymians of trigonal curves. [arXiv:0809.4887](https://arxiv.org/abs/0809.4887), 12 pages, 2008.
- [49] Alexander Zvonkin. Megamaps: Construction and examples. In *Discrete Models: Combinatorics, Computation, and Geometry (Paris, 2001)*, Discrete Math. Theor. Comput. Sci. Proc., AA, pages 329–339 (electronic). Maison Inform. Math. Discrèt. (MIMD), Paris, 2001.

Algebraic Geometry

Surfaces and Higher Dimensional Varieties

14Jxx

- [1] Selma Altınok, Gavin Brown, and Miles Reid. Fano 3-folds, $K3$ surfaces and graded rings. In *Topology and Geometry: Commemorating SISTAG*, volume 314 of *Contemp. Math.*, pages 25–53. Amer. Math. Soc., Providence, RI, 2002.
- [2] Arthur Baragar and Ronald van Luijk. $K3$ surfaces with Picard number three and canonical vector heights. *Math. Comp.*, 76(259):1493–1498 (electronic), 2007.
- [3] I. C. Bauer, F. Catanese, and F. Grunewald. The classification of surfaces with $p_g = q = 0$ isogenous to a product of curves. *Pure Appl. Math. Q.*, 4(2, part 1):547–586, 2008.
- [4] Ingrid Bauer, Fabrizio Catanese, and Fritz Grunewald. Beauville surfaces without real structures. In *Geometric Methods in Algebra and Number Theory*, volume 235 of *Progr. Math.*, pages 1–42. Birkhäuser Boston, Boston, MA, 2005.
- [5] Ingrid Bauer, Fabrizio Catanese, and Fritz Grunewald. The absolute Galois group acts faithfully on the connected components of the moduli space of surfaces of general type. [arXiv:0706.1466v1 \[math.AG\]](#), 13 pages, 2007.
- [6] Ingrid Bauer, Fabrizio Catanese, Fritz Grunewald, and Roberto Pignatelli. Quotients of a product of curves by a finite group and their fundamental groups. [arXiv:0809.3420](#), 37 pages, 2008.
- [7] Ingrid C. Bauer and Fabrizio Catanese. A volume maximizing canonical surface in 3-space. *Comment. Math. Helv.*, 83(2):387–406, 2008.
- [8] Ingrid C. Bauer, Fabrizio Catanese, and Roberto Pignatelli. Complex surfaces of general type: Some recent progress. In *Global Aspects of Complex Geometry*, pages 1–58. Springer, Berlin, 2006.

- [9] Ingrid C. Bauer, Fabrizio Catanese, and Roberto Pignatelli. The moduli space of surfaces with $K^2 = 6$ and $p_g = 4$. *Math. Ann.*, 336(2):421–438, 2006.
- [10] Tobias Beck. Formal desingularization of surfaces: The Jung method revisited. *J. Symb. Comput.*, 44(2):131–160, 2009.
- [11] Tobias Beck and Josef Schicho. Adjoint computation for hypersurfaces using formal desingularizations. *Journal of Algebra*, 320(11):3984 – 3996, 2008.
- [12] Martin Bright. Brauer groups of diagonal quartic surfaces. *J. Symbolic Comput.*, 41(5):544–558, 2006.
- [13] S. Allen Broughton. Enumeration of the equisymmetric strata of the moduli space of surfaces of low genus. *Preprint*, 25 pages.
- [14] G. Brown and K. Suzuki. Fano 3-folds with divisible anticanonical class. *Manuscripta Math.*, 123:37–51, 2007.
- [15] Gavin Brown. Datagraphs in algebraic geometry and $K3$ surfaces. In *Symbolic and Numerical Scientific Computation (Hagenberg, 2001)*, volume 2630 of *Lecture Notes in Comput. Sci.*, pages 210–224. Springer, Berlin, 2003.
- [16] Gavin Brown. Graded rings and special $K3$ surfaces. In *Discovering Mathematics with Magma*, volume 19 of *Algorithms Comput. Math.*, pages 137–159. Springer, Berlin, 2006.
- [17] Gavin Brown. A database of polarized $K3$ surfaces. *Experiment. Math.*, 16(1):7–20, 2007.
- [18] Gavin Brown and Kaori Suzuki. Computing certain Fano 3-folds. *Japan J. Indust. Appl. Math.*, 24(3):241–250, 2007.
- [19] Gavin Brown and Kaori Suzuki. Fano 3-folds with divisible anticanonical class. *Manuscripta Math.*, 123(1):37–51, 2007.
- [20] Nils Bruin. Visualising $Sha[2]$ in abelian surfaces. *Math. Comp.*, 73(247):1459–1476 (electronic), 2004.

- [21] Anita Buckley and Balázs Szendrői. Orbifold Riemann-Roch for threefolds with an application to Calabi-Yau geometry. *J. Algebraic Geom.*, 14(4):601–622, 2005.
- [22] Jorge Caravantes. Low codimension Fano–Enriques threefolds. [arXiv:math.AG/0504072](https://arxiv.org/abs/math/0504072), 27 pages, 2006.
- [23] A. Clingher, C.F. Doran, J. Lewis, and U. Whitcher. Normal forms, K3 surface moduli, and modular parametrizations. In *Groups and Symmetries: Proceedings of the CRM conference in honor of John McKay.*, volume 47 of *CRM-AMS Proceedings and Lecture Notes*, 18 pages, 2008.
- [24] Patrick Corn. Tate-Shafarevich groups and K3 surfaces. *Math. Comp.*, To appear, 17 pages, 2007.
- [25] Alessio Corti and Miles Reid. Weighted Grassmannians. In *Algebraic Geometry*, pages 141–163. de Gruyter, Berlin, 2002.
- [26] Willem A. de Graaf, Michael Harrison, Jana Pílníková, and Josef Schicho. A Lie algebra method for rational parametrization of Severi-Brauer surfaces. *J. Algebra*, 303(2):514–529, 2006.
- [27] Willem A. de Graaf, Jana Pílníková, and Josef Schicho. Parametrizing del Pezzo surfaces of degree 8 using Lie algebras. *J. Symbolic Comput.*, 44(1):1 – 14, 2009.
- [28] Ulrich Derenthal. On the Cox ring of del Pezzo surfaces. [arXiv:math.AG/0603111](https://arxiv.org/abs/math/0603111), 17 pages, 2006.
- [29] Ulrich Derenthal. Universal torsors of del Pezzo surfaces and homogeneous spaces. *Adv. Math.*, 213(2):849–864, 2007.
- [30] Luis V. Dieulefait. Computing the level of a modular rigid Calabi-Yau threefold. *Exp. Math.*, 13(2):165–169, 2004.
- [31] Noam D. Elkies. Three lectures on elliptic surfaces and curves of high rank. [arXiv:0709.2908v1](https://arxiv.org/abs/0709.2908v1), 14 pages, 2007.
- [32] Pavel Etingof, Alexei Oblomkov, and Eric Rains. Generalized double affine Hecke algebras of rank 1 and quantized del Pezzo surfaces. *Adv. Math.*, 212(2):749–796, 2007.

- [33] Victor Ginzburg. Calabi-Yau algebras. [arXiv:math.AG/0612139v3](#), 79 pages, 2007.
- [34] V. A. Gritsenko, K. Hulek, and G. K. Sankaran. The Kodaira dimension of the moduli of $K3$ surfaces. *Invent. Math.*, 169(3):519–567, 2007.
- [35] Johan P. Hansen. Toric surfaces and codes, techniques and examples. *Preprint Series No.1., University of Aarhus, Department of Mathematics, Aarhus, Denmark*, 12 pages, 2004.
- [36] Kiran S. Kedlaya. Computing zeta functions of surfaces. *Mathematisches Forschungsinstitut Oberwolfach Report*, 32:1808–1810, 2005.
- [37] Adam Logan. The Brauer-Manin obstruction on del Pezzo surfaces of degree 2 branched along a plane section of a Kummer surface. *Math. Proc. Cambridge Philos. Soc.*, 144(3):603–622, 2008.
- [38] Francesco Polizzi. Standard isotrivial fibrations with $p_g = q = 1$. *Journal of Algebra*, 321(6):1600 – 1631, 2009.
- [39] Gopal Prasad and Sai-Kee Yeung. Fake projective planes. *Invent. Math.*, 168(2):321–370, 2007.
- [40] Carlos Rito. On surfaces with $p_g = q = 1$ and non-ruled bicanonical involution. *Ann. Sc. Norm. Super. Pisa Cl. Sci. (5)*, 6(1):81–102, 2007.
- [41] Carlos Rito. Involutions on surfaces with $p_g = q = 1$. [arXiv:0805.4513v1 \[math.AG\]](#), 34 pages, 2008.
- [42] Carlos Rito. On equations of double planes with $p_g = q = 1$. [arXiv:0804.2227v1 \[math.AG\]](#), 18 pages, 2008.
- [43] Stefan Schröer. Kummer surfaces for the self-product of the cuspidal rational curve. *J. Algebraic Geom.*, 16(2):305–346, 2007.
- [44] James P Smith. *Picard-Fuchs Differential Equations for Families of $K3$ Surfaces*. Ph D thesis, University of Warwick, 2007.
- [45] Kaori Suzuki. On Fano indices of Q -Fano 3-folds. *Manuscripta Math.*, 114(2):229–246, 2004.

- [46] Ronald van Luijk. $K3$ surfaces with Picard number one and infinitely many rational points. [arXiv:math.AG/0506416 v2](#), 10 pages, 2005.
- [47] Ronald van Luijk. Quartic $K3$ surfaces without nontrivial automorphisms. *Math. Res. Lett.*, 13(2-3):423–439, 2006.
- [48] Ronald van Luijk. An elliptic $K3$ surface associated to Heron triangles. *J. Number Theory*, 123(1):92–119, 2007.
- [49] Anthony Várilly-Alvarado. Weak approximation on del Pezzo surfaces of degree 1. *Adv. Math.*, 219(6):2123–2145, 2008.
- [50] Bogdan G. Viooreanu. Mordell-Weil problem for cubic surfaces, numerical evidence. [arXiv:0802.0742v1 \[math.AG\]](#), 22 pages, 2008.

Algebraic Geometry

Abelian Varieties and Schemes

14Kxx

- [1] Nils Bruin, E. Victor Flynn, Josep González, and Victor Rotger. On finiteness conjectures for endomorphism algebras of abelian surfaces. *Math. Proc. Cambridge Philos. Soc.*, 141(3):383–408, 2006.
- [2] Robert Carls, David Kohel, and David Lubicz. Higher-dimensional 3-adic CM construction. *J. Algebra*, 319(3):971–1006, 2008.
- [3] John Cullinan. Local-global properties of torsion points on three-dimensional abelian varieties. *J. Algebra*, 311(2):736–774, 2007.
- [4] Arsen Elkin and Yuri G. Zarhin. Endomorphism algebras of hyperelliptic Jacobians and finite projective lines. *J. Ramanujan Math. Soc.*, 21:169–187, 2006.
- [5] Eyal Z. Goren and Kristin E. Lauter. The distance between superspecial abelian varieties with real multiplication. *J. Number Theory*, 129(6):1562–1578, 2009.
- [6] Everett W. Howe and Hui June Zhu. On the existence of absolutely simple abelian varieties of a given dimension over an arbitrary field. *J. Number Theory*, 92(1):139–163, 2002.
- [7] Rafe Jones and Jeremy Rouse. Iterated endomorphisms of Abelian algebraic groups. [arXiv:0707.2384](https://arxiv.org/abs/0707.2384), 34 pages, 2007.
- [8] Gilles Lachaud and Christophe Ritzenthaler. On a conjecture of Serre on abelian threefolds. In *Algebraic Geometry and its applications, Proceedings of the First SAGA conference, Papeete, France 2007*, pages 1–28, 2008.
- [9] N. I. Shepherd-Barron. Perfect forms and the moduli space of abelian varieties. *Invent. Math.*, 163(1):25–45, 2006.

Algebraic Geometry

Algebraic Groups

14Lxx

- [1] Thomas Bayer. An algorithm for computing invariants of linear actions of algebraic groups up to a given degree. *J. Symbolic Comput.*, 35(4):441–449, 2003.
- [2] David J. Benson, Philip Bergonio, Brian D. Boe, Leonard Chastkofsky, Bobbe Cooper, Jeremiah Hower, Jo Jang Hyun, Jonathan Kujawa, Nadia Mazza, Daniel K. Nakano, Kenyon J. Platt, and Caroline Wright. Support varieties for Weyl modules over bad primes. *J. Algebra*, 312(2):602–633, 2007.
- [3] Arjeh M. Cohen, Sergei Haller, and Scott H. Murray. Computing in unipotent and reductive algebraic groups. *LMS J. Comput. Math.*, 11:343–366, 2008.
- [4] Arjeh M. Cohen, Sergei Haller, and Scott H. Murray. Computing with root subgroups of twisted reductive groups. Submitted, 2009.
- [5] Willem A. de Graaf. Constructing algebraic groups from their Lie algebras. *J. Symbolic Comput.*, 44(9):1223–1233, 2009.
- [6] Michael Dettweiler and Stefan Reiter. On exceptional rigid local systems. [arXiv:math.AG/0609142](https://arxiv.org/abs/math/0609142), 11 pages, 2006.
- [7] Ben Howard, John Millson, Andrew Snowden, and Ravi Vakil. The ring of projective invariants of eight points on the line via representation theory. [arXiv:0809.1233](https://arxiv.org/abs/0809.1233), 16 pages, 2008.
- [8] P. I. Katsylo and V. L. Popov. On fixed points of algebraic actions on \mathbf{C}^n . *Funktsional. Anal. i Prilozhen.*, 34(1):41–50, 96, 2000.
- [9] Masanari Kida. Kummer theory for norm algebraic tori. *J. Algebra*, 293(2):427–447, 2005.

- [10] University of Georgia VIGRE Algebra Group. Varieties of nilpotent elements for simple Lie algebras. II. Bad primes. *J. Algebra*, 292(1):65–99, 2005.
- [11] University of Georgia VIGRE Algebra Group. Support varieties for Weyl modules over bad primes. *J. Algebra*, 312(2):602–633, 2007.
- [12] Stefan Schröer. Kummer surfaces for the self-product of the cuspidal rational curve. *J. Algebraic Geom.*, 16(2):305–346, 2007.
- [13] Magda Sebestean. *Correspondance de McKay et Equivalences Derivees*. PhD thesis, Paris VII, 2005.
- [14] R. James Shank and David L. Wehlau. Noether numbers for subrepresentations of cyclic groups of prime order. *Bull. London Math. Soc.*, 34(4):438–450, 2002.

Algebraic Geometry

Special Varieties

14Mxx

- [1] Tatiana Bandman, Fritz Grunewald, and Boris Kunyavskii. Arithmetic dynamics of word maps on simple group. [arXiv:0809.0369v1](#) [[math.AG](#)], 39 pages, 2008.
- [2] Christian Böhning. The rationality of the moduli space of curves of genus 3 after P. Katsylo. [arXiv:0804.1509v1](#) [[math.AG](#)], 39 pages, 2008.
- [3] Jarosław Buczyński. Legendrian subvarieties of projective space. *Geom. Dedicata*, 118:87–103, 2006.
- [4] Alessio Corti and Miles Reid. Weighted Grassmannians. In *Algebraic Geometry*, pages 141–163. de Gruyter, Berlin, 2002.
- [5] Ulrich Derenthal. Universal torsors of del Pezzo surfaces and homogeneous spaces. *Adv. Math.*, 213(2):849–864, 2007.
- [6] Johan P. Hansen. Toric varieties, Hirzebruch surfaces and error-correcting codes. *Appl. Algebra Engrg. Comm. Comput.*, 13(4):289–300, 2002.
- [7] Stephen P. Humphries. Action of braid groups on determinantal ideals, compact spaces and a stratification of Teichmüller space. *Invent. Math.*, 144(3):451–505, 2001.
- [8] Michael Joswig and Nikolaus Witte. Products of foldable triangulations. *Adv. Math.*, 210(2):769–796, 2007.
- [9] Stavros Argyrios Papadakis. Type II unprojection. *J. Algebraic Geom.*, 15(3):399–414, 2006.
- [10] Vladimir L. Popov. Irregular and singular loci of commuting varieties. *Transform. Groups*, 13(3-4):819–837, 2008.

- [11] Miles Reid. Examples of type IV unprojection. `arXiv:math.AG/0108037 v1`, 2001.
- [12] Diego Ruano. On the parameters of r -dimensional toric codes. *Finite Fields Appl.*, 13(4):962–976, 2007.
- [13] Helena Verrill and David Joyner. Computing with toric varieties. *J. Symbolic Comput.*, 42(5):511–532, 2007.

Algebraic Geometry

Real Algebraic Geometry

14Pxx

- [1] Saugata Basu and Michael Kettner. Computing the Betti numbers of arrangements in practice. In *Computer Algebra in Scientific Computing*, volume 3718 of *Lecture Notes in Computer Science*, pages 13–31. Springer Berlin/Heidelberg, 2005.
- [2] Mbakop Guy Merlin. *Eziente Losung reeller Polynomialer Gleichungssysteme*. PhD Thesis, Humboldt-Universität, Berlin, 1999.
- [3] S. Petitjean. Algebraic geometry and computer vision: Polynomial systems, real and complex roots. *J. Math. Imaging Vision*, 10(3):191–220, 1999.
- [4] Mohab Safey El Din. Testing sign conditions on a multivariate polynomial and applications. *Math. Comput. Sci.*, 1(1):177–207, 2007.
- [5] Mohab Safey El Din and Éric Schost. Properness defects of projections and computation of at least one point in each connected component of a real algebraic set. *Discrete Comput. Geom.*, 32(3):417–430, 2004.

Algebraic Geometry

Computational Methods

14-04, 14Qxx

- [1] Fatima K. Abu Salem and Kamal Khuri-Makdisi. Fast Jacobian group operations for $C_{3,4}$ curves over a large finite field. *LMS J. Comput. Math.*, 10:307–328 (electronic), 2007.
- [2] S. Arita, S. Miura, and T. Sekiguchi. An addition algorithm on the Jacobian varieties of curves. *J. Ramanujan Math. Soc.*, 19(4):235–251, 2004.
- [3] Tobias Beck and Josef Schicho. Adjoint computation for hypersurfaces using formal desingularizations. *Journal of Algebra*, 320(11):3984 – 3996, 2008.
- [4] Tobias Beck and Josef Schicho. Curve parametrization over optimal field extensions exploiting the Newton polygon. In *Geometric Modeling and Algebraic Geometry*, pages 119–140. Springer, Berlin, 2008.
- [5] Gavin Brown. A database of polarized $K3$ surfaces. *Experiment. Math.*, 16(1):7–20, 2007.
- [6] Gavin Brown and Daniel Ryder. Elliptic fibrations on cubic surfaces. *Journal of Pure and Applied Algebra*, In Press, 2009.
- [7] Gavin Brown and Kaori Suzuki. Computing certain Fano 3-folds. *Japan J. Indust. Appl. Math.*, 24(3):241–250, 2007.
- [8] Laurent Busé and Marc Chardin. Implicitizing rational hypersurfaces using approximation complexes. *J. Symbolic Comput.*, 40(4-5):1150–1168, 2005.
- [9] Gweltaz Chatel and David Lubicz. A point counting algorithm using cohomology with compact support. [arXiv:0805.4689v1](https://arxiv.org/abs/0805.4689v1) [math.AG], 32 pages, 2008.

- [10] David A. Cox, John Little, and Donal O’Shea. *Using Algebraic Geometry*, volume 185 of *Graduate Texts in Mathematics*. Springer, New York, second edition, 2005.
- [11] Willem A. de Graaf. Constructing algebraic groups from their Lie algebras. *J. Symbolic Comput.*, 44(9):1223–1233, 2009.
- [12] Wolfram Decker and Christoph Lossen. *Computing in algebraic geometry*, volume 16 of *Algorithms and Computation in Mathematics*. Springer-Verlag, Berlin, 2006.
- [13] André Galligo and David Rupprecht. Irreducible decomposition of curves. *J. Symbolic Comput.*, 33(5):661–677, 2002.
- [14] Ralf Gerkmann, Mao Sheng, and Kang Zuo. Computational details on the disproof of modularity. [arXiv:0709.1054v1](https://arxiv.org/abs/0709.1054v1), 16 pages, 2007.
- [15] Martine Girard and Leopoldo Kulesz. Computation of sets of rational points of genus-3 curves via the Demjanenko-Manin method. *LMS J. Comput. Math.*, 8:267–300 (electronic), 2005.
- [16] Massimo Giulietti. Algebraic curves over finite fields and MAGMA. *Ital. J. Pure Appl. Math.*, (8):19–32, 2000.
- [17] Michael Harrison and Josef Schicho. Rational parametrisation for degree 6 Del Pezzo surfaces using Lie algebras. In *ISSAC 2006*, pages 132–137. ACM, New York, 2006.
- [18] Hendrik Hubrechts. Memory efficient hyperelliptic curve point counting. [arXiv:math.NT/0609032](https://arxiv.org/abs/math.NT/0609032), 10 pages, 2006.
- [19] Gabriela Jeronimo, Teresa Krick, Juan Sabia, and Martín Sombra. The computational complexity of the Chow form. *Found. Comput. Math.*, 4(1):41–117, 2004.
- [20] Tanja Lange. Formulae for arithmetic on genus 2 hyperelliptic curves. *Appl. Algebra Engrg. Comm. Comput.*, 15(5):295–328, 2005.
- [21] Alan G. B. Lauder. A recursive method for computing zeta functions of varieties. *LMS J. Comput. Math.*, 9:222–269 (electronic), 2006.

- [22] Walter D. Neumann and Penelope G. Wightwick. Algorithms for polynomials in two variables. In *Combinatorial and Computational Algebra (Hong Kong, 1999)*, volume 264 of *Contemp. Math.*, pages 219–235. Amer. Math. Soc., Providence, RI, 2000.
- [23] Jana Pílníková. Parametrizing algebraic varieties using Lie algebras. [arXiv:math.AG/0610727](https://arxiv.org/abs/math/0610727), 74 pages, 2006.
- [24] Carlos Rito. On equations of double planes with $p_g = q = 1$. [arXiv:0804.2227v1](https://arxiv.org/abs/0804.2227v1) [math.AG], 18 pages, 2008.
- [25] Mohab Safey El Din. Testing sign conditions on a multivariate polynomial and applications. *Math. Comput. Sci.*, 1(1):177–207, 2007.
- [26] Mohab Safey El Din and Éric Schost. Properness defects of projections and computation of at least one point in each connected component of a real algebraic set. *Discrete Comput. Geom.*, 32(3):417–430, 2004.
- [27] Tanush Shaska. Computational algebra and algebraic curves. *Comm. Comp. Alg.*, 37(4):117–124, 2003.
- [28] Dongming Wang. Decomposing algebraic varieties. In *Automated Deduction in Geometry (Beijing, 1998)*, volume 1669 of *Lecture Notes in Comput. Sci.*, pages 180–206. Springer, Berlin, 1999.