

Commutative Algebra

Commutative Algebra: General

13Axx excluding 13A50, 13Bxx

- [1] David F. Anderson, Andrea Frazier, Aaron Lauve, and Philip S. Livingston. The zero-divisor graph of a commutative ring: II. In *Ideal Theoretic Methods in Commutative Algebra (Columbia, MO, 1999)*, volume 220 of *Lecture Notes in Pure and Appl. Math.*, pages 61–72. Dekker, New York, 2001.
- [2] David F. Anderson and Philip S. Livingston. The zero-divisor graph of a commutative ring. *J. Algebra*, 217(2):434–447, 1999.
- [3] Abraham Broer. On Chevalley-Shephard-Todd’s theorem in positive characteristic. [arXiv:0709.0715v1](https://arxiv.org/abs/0709.0715v1), 14 pages, 2007.
- [4] Robert S. Coulter, George Havas, and Marie Henderson. On decomposition of sub-linearised polynomials. *J. Aust. Math. Soc.*, 76(3):317–328, 2004.
- [5] David A. Cox, John Little, and Donal O’Shea. *Using Algebraic Geometry*, volume 185 of *Graduate Texts in Mathematics*. Springer, New York, second edition, 2005.
- [6] Jan Draisma, Gregor Kemper, and David Wehlau. Polarization of separating invariants. *Canad. J. Math.*, 60(3):556–571, 2008.
- [7] Douglas A. Leonard. A weighted module view of integral closures of affine domains of type I. *Adv. Math. Commun.*, 3(1):1–11, 2009.
- [8] Miles Reid. Graded rings and birational geometry. *Preprint*, 72 pages, 2000.
- [9] R. J. Shank. Classical covariants and modular invariants. In *Invariant Theory in all Characteristics*, volume 35 of *CRM Proc. Lecture Notes*, pages 241–249. Amer. Math. Soc., Providence, RI, 2004.

Commutative Algebra

Invariant Theory

13A50

- [1] Thomas Bayer. An algorithm for computing invariants of linear actions of algebraic groups up to a given degree. *J. Symbolic Comput.*, 35(4):441–449, 2003.
- [2] Dave Benson. Dickson invariants, regularity and computation in group cohomology. *Illinois J. Math.*, 48(1):171–197, 2004.
- [3] Mireille Boutin and Gregor Kemper. On reconstructing n -point configurations from the distribution of distances or areas. *Adv. in Appl. Math.*, 32(4):709–735, 2004.
- [4] Mireille Boutin and Gregor Kemper. On reconstructing configurations of points in P^2 from a joint distribution of invariants. *Appl. Algebra Engrg. Comm. Comput.*, 15(6):361–391, 2005.
- [5] H. E. A. Campbell, B. Fodden, and David L. Wehlau. Invariants of the diagonal C_p -action on V_3 . *J. Algebra*, 303(2):501–513, 2006.
- [6] H. E. A. Campbell, I. P. Hughes, G. Kemper, R. J. Shank, and D. L. Wehlau. Depth of modular invariant rings. *Transform. Groups*, 5(1):21–34, 2000.
- [7] Chris Charnes, Martin Rötteler, and Thomas Beth. On homogeneous bent functions. In *Applied Algebra, Algebraic Algorithms and Error-correcting Codes (Melbourne, 2001)*, volume 2227 of *Lecture Notes in Comput. Sci.*, pages 249–259. Springer, Berlin, 2001.
- [8] Chris Charnes, Martin Rötteler, and Thomas Beth. Homogeneous bent functions, invariants, and designs. *Des. Codes Cryptogr.*, 26(1-3):139–154, 2002.
- [9] Wolfram Decker and Theo de Jong. Gröbner bases and invariant theory. In *Gröbner bases and applications (Linz, 1998)*, volume 251 of *London Math. Soc. Lecture Note Ser.*, pages 61–89. Cambridge Univ. Press, Cambridge, 1998.

- [10] Harm Derksen. Computation of invariants for reductive groups. *Adv. Math.*, 141(2):366–384, 1999.
- [11] Harm Derksen and Gregor Kemper. *Computational Invariant Theory. Invariant Theory and Algebraic Transformation Groups, I.* Springer-Verlag, Berlin, 2002.
- [12] Alexander Duncan, Michael LeBlanc, and David L. Wehlau. A SAGBI basis for $F[V_2 \oplus V_2 \oplus V_3]^{C^p}$. *Canad. Math. Bull.*, 52(1):72–83, 2009.
- [13] Jonathan Elmer. Depth and detection in modular invariant theory. *J. Algebra*, 322(5):1653–1666, 2009.
- [14] Tom Fisher. The Hessian of a genus one curve. [arXiv:math.NT/0610403](https://arxiv.org/abs/math/0610403), 28 pages, 2006.
- [15] P. Fleischmann, M. Sezer, R. J. Shank, and C. F. Woodcock. The Noether numbers for cyclic groups of prime order. *Adv. Math.*, 207(1):149–155, 2006.
- [16] Karin Gatermann and Frédéric Guyard. Gröbner bases, invariant theory and equivariant dynamics. *J. Symbolic Comput.*, 28(1-2):275–302, 1999.
- [17] Karin Gatermann and Pablo A. Parrilo. Symmetry groups, semidefinite programs, and sums of squares. *J. Pure Appl. Algebra*, 192(1-3):95–128, 2004.
- [18] M. Grassl, T. Beth, and M. Rötteler. Computing local invariants of quantum-bit systems. *Phys. Rev. A.*, 58(3):833–1839, 1998.
- [19] Ian Hughes and Gregor Kemper. Symmetric powers of modular representations, Hilbert series and degree bounds. *Comm. Algebra*, 28(4):2059–2088, 2000.
- [20] Ian Hughes and Gregor Kemper. Symmetric powers of modular representations for groups with a Sylow subgroup of prime order. *J. Algebra*, 241(2):759–788, 2001.
- [21] D. B. Karagueuzian and P. Symonds. The module structure of a group action on a polynomial ring: Examples, generalizations, and applications. In *Invariant Theory in all Characteristics*, volume 35 of *CRM*

- Proc. Lecture Notes*, pages 139–158. Amer. Math. Soc., Providence, RI, 2004.
- [22] Gregor Kemper. Calculating invariants of modular reflection groups with Magma. *Preprint*, 5 pages, 1997.
 - [23] Gregor Kemper. Computational invariant theory. In *The Curves Seminar at Queen's. Vol. XII (Kingston, ON, 1998)*, volume 114 of *Queen's Papers in Pure and Appl. Math.*, pages 5–26. Queen's Univ., Kingston, ON, 1998.
 - [24] Gregor Kemper. The depth of invariant rings and cohomology. *J. Algebra*, 245(2):463–531, 2001.
 - [25] Gregor Kemper. Computing invariants of reductive groups in positive characteristic. *Transform. Groups*, 8(2):159–176, 2003.
 - [26] Gregor Kemper. The computation of invariant fields and a constructive version of a theorem by Rosenlicht. *Transform. Groups*, 12(4):657–670, 2007.
 - [27] Gregor Kemper, Elmar Körding, Gunter Malle, B. Heinrich Matzat, Denis Vogel, and Gabor Wiese. A database of invariant rings. *Experiment. Math.*, 10(4):537–542, 2001.
 - [28] Gregor Kemper and Gunter Malle. Invariant fields of finite irreducible reflection groups. *Math. Ann.*, 315(4):569–586, 1999.
 - [29] Gregor Kemper and Allan Steel. Some algorithms in invariant theory of finite groups. In *Computational Methods for Representations of Groups and Algebras (Essen, 1997)*, volume 173 of *Progr. Math.*, pages 267–285. Birkhäuser, Basel, 1999.
 - [30] Simon King. Fast computation of secondary invariants. [arXiv:math/0701270](https://arxiv.org/abs/math/0701270), 13 pages, 2007.
 - [31] Simon King. Minimal generating sets of non-modular invariant rings of finite groups. [arXiv:math/0703035](https://arxiv.org/abs/math/0703035), 14 pages, 2007.
 - [32] Martin Kohls. *Invarianten zusammenhaengender Gruppen und die Cohen-Macaulay Eigenschaft*. Diplomarbeit, Technische Universitaet Muechen, 2005.

- [33] Martin Kohls. *Über die Tiefe von Invariantenringen unendlicher Gruppen*. PhD Thesis, Technische Universität München, 2007.
- [34] Martin Kohls. On the depth of invariant rings of infinite groups. *J. Algebra*, 322(1):210–218, 2009.
- [35] P. H. Kropholler, S. Mohseni Rajaei, and J. Segal. Invariant rings of orthogonal groups over \mathbf{F}_2 . *Glasg. Math. J.*, 47(1):7–54, 2005.
- [36] Martin Lorenz. *Multiplicative Invariant Theory*, volume 135 of *Encyclopaedia of Mathematical Sciences*. Springer-Verlag, Berlin, 2005.
- [37] A. Marschner and J. Müller. On a certain algebra of higher modular forms. *Algebra Colloq.*, 16:371–380, 2009.
- [38] Jürgen Müller and Christophe Ritzenthaler. On the ring of invariants of ordinary quartic curves in characteristic 2. *J. Algebra*, 303(2):530–542, 2006.
- [39] Gabriele Nebe, Eric M. Rains, and Neil J. A. Sloane. *Self-dual Codes and Invariant Theory*, volume 17 of *Algorithms and Computation in Mathematics*. Springer-Verlag, Berlin, 2006.
- [40] Mara D. Neusel and Müfit Sezer. The invariants of modular indecomposable representations of Z_{p^2} . *Math. Ann.*, 341(3):575–587, 2008.
- [41] W. Plesken and D. Robertz. Constructing invariants for finite groups. *Experiment. Math.*, 14(2):175–188, 2005.
- [42] Marc Stetson Renault. *Computing Generators for Rings of Multiplicative Invariants*. PhD Thesis, Temple University, 2002.
- [43] Müfit Sezer and R. James Shank. On the coinvariants of modular representations of cyclic groups of prime order. *J. Pure Appl. Algebra*, 205(1):210–225, 2006.
- [44] R. J. Shank. Classical covariants and modular invariants. In *Invariant Theory in all Characteristics*, volume 35 of *CRM Proc. Lecture Notes*, pages 241–249. Amer. Math. Soc., Providence, RI, 2004.

- [45] R. James Shank and David L. Wehlau. On the depth of the invariants of the symmetric power representations of $SL_2(\mathbf{F}_p)$. *J. Algebra*, 218(2):642–653, 1999.
- [46] R. James Shank and David L. Wehlau. Computing modular invariants of p -groups. *J. Symbolic Comput.*, 34(5):307–327, 2002.
- [47] R. James Shank and David L. Wehlau. Noether numbers for subrepresentations of cyclic groups of prime order. *Bull. London Math. Soc.*, 34(4):438–450, 2002.
- [48] R. James Shank and David L. Wehlau. Decomposing symmetric powers of certain modular representations of cyclic groups. [arXiv:math.AC/05099044 v2](https://arxiv.org/abs/math/0509904), 14 pages, 2005.
- [49] Nicolas M. Thiéry. Algebraic invariants of graphs; A study based on computer exploration. *SIGSAM Bulletin*, 34(3):9–20, 2000.

Commutative Algebra

Modules and Ideals

13Cxx

- [1] Jon F. Carlson. Cohomology, computations, and commutative algebra. *Notices Amer. Math. Soc.*, 52(4):426–434, 2005.
- [2] Gregor Kemper. The depth of invariant rings and cohomology. *J. Algebra*, 245(2):463–531, 2001.
- [3] R. James Shank and David L. Wehlau. On the depth of the invariants of the symmetric power representations of $\mathrm{SL}_2(\mathbf{F}_p)$. *J. Algebra*, 218(2):642–653, 1999.
- [4] Arno van den Essen, Andrzej Nowicki, and Andrzej Tyc. Generalizations of a lemma of Freudenburg. *J. Pure Appl. Algebra*, 177(1):43–47, 2003.

Commutative Algebra

Homological Methods

13Dxx

- [1] Selma Altınok, Gavin Brown, and Miles Reid. Fano 3-folds, $K3$ surfaces and graded rings. In *Topology and Geometry: Commemorating SISTAG*, volume 314 of *Contemp. Math.*, pages 25–53. Amer. Math. Soc., Providence, RI, 2002.
- [2] Gavin Brown. Graded rings and special $K3$ surfaces. In *Discovering Mathematics with Magma*, volume 19 of *Algorithms Comput. Math.*, pages 137–159. Springer, Berlin, 2006.
- [3] Laurent Busé and Jean-Pierre Jouanolou. On the closed image of a rational map and the implicitization problem. *J. Algebra*, 265(1):312–357, 2003.
- [4] Jeffrey B. Farr and Shuhong Gao. Computing Gröbner bases for vanishing ideals of finite sets of points. In *Applied Algebra, Algebraic Algorithms and Error-correcting Codes*, volume 3857 of *Lecture Notes in Comput. Sci.*, pages 118–127. Springer, Berlin, 2006.
- [5] Ian Hughes and Gregor Kemper. Symmetric powers of modular representations, Hilbert series and degree bounds. *Comm. Algebra*, 28(4):2059–2088, 2000.
- [6] Ian Hughes and Gregor Kemper. Symmetric powers of modular representations for groups with a Sylow subgroup of prime order. *J. Algebra*, 241(2):759–788, 2001.
- [7] Mikael Johansson. Computation of Poincaré-Betti series for monomial rings. *Rend. Istit. Mat. Univ. Trieste*, 37(1-2):85–94 (2006), 2005.
- [8] Gregor Kemper. Computational invariant theory. In *The Curves Seminar at Queen's. Vol. XII (Kingston, ON, 1998)*, volume 114 of *Queen's Papers in Pure and Appl. Math.*, pages 5–26. Queen's Univ., Kingston, ON, 1998.

- [9] Gregor Kemper and Allan Steel. Some algorithms in invariant theory of finite groups. In *Computational Methods for Representations of Groups and Algebras (Essen, 1997)*, volume 173 of *Progr. Math.*, pages 267–285. Birkhäuser, Basel, 1999.
- [10] Peter Symonds. Cyclic group actions on polynomial rings. *Bull. Lond. Math. Soc.*, 39(2):181–188, 2007.

Commutative Algebra

Differential Algebra

12H05, 13Nxx

- [1] Alin Bostan, Frédéric Chyzak, and Nicolas Le Roux. Products of ordinary differential operators by evaluation and interpolation. In *ISSAC '08: International Symposium on Symbolic and Algebraic Computation*, pages 23–30, New York, NY, USA, 2008. ACM.
- [2] Alin Bostan, Frédéric Chyzak, Bruno Salvy, Grégoire Lecerf, and Éric Schost. Differential equations for algebraic functions. In *ISSAC 2007*, pages 25–32. ACM, New York, 2007.
- [3] Alin Bostan, Thomas Cluzeau, and Bruno Salvy. Fast algorithms for polynomial solutions of linear differential equations. In *ISSAC'05: Proceedings of the 2005 International Symposium on Symbolic and Algebraic Computation*, pages 45–52 (electronic). ACM, New York, 2005.
- [4] Olivier Cormier. On Liouvillian solutions of linear differential equations of order 4 and 5. In *ISSAC '01: Proceedings of the 2001 International Symposium on Symbolic and Algebraic Computation*, pages 93–100 (electronic), New York, 2001. ACM.
- [5] Olivier Cormier, Michael F. Singer, and Felix Ulmer. Computing the Galois group of a polynomial using linear differential equations. In *Proceedings of the 2000 International Symposium on Symbolic and Algebraic Computation (St. Andrews)*, pages 78–85 (electronic), New York, 2000. ACM.
- [6] Boris Feigin and Boris Shoikhet. On $[A, A]/[A, [A, A]]$ and on a W_n -action on the consecutive commutators of free associative algebra. *Math. Res. Lett.*, 14(5):781–795, 2007.
- [7] Julia Hartmann. Invariants and differential Galois groups in degree four. In *Differential Galois Theory*, volume 58 of *Banach Center Publ.*, pages 79–87. Polish Acad. Sci., Warsaw, 2002.

- [8] Sabrina A. Hessinger. Computing the Galois group of a linear differential equation of order four. *Appl. Algebra Engrg. Comm. Comput.*, 11(6):489–536, 2001.
- [9] Ariane Péladan-Germa. Testing equality in differential ring extensions defined by PDE's and limit conditions. *Appl. Algebra Engrg. Comm. Comput.*, 13(4):257–288, 2002.
- [10] Kira Samol and Duco van Straten. Frobenius polynomials for Calabi-Yau equations. *Commun. Number Theory Phys.*, 2(3):537–561, 2008.
- [11] Michael F. Singer. Testing reducibility of linear differential operators: A group-theoretic perspective. *Appl. Algebra Engrg. Comm. Comput.*, 7(2):77–104, 1996.
- [12] Michael F. Singer and Felix Ulmer. Necessary conditions for Liouvillian solutions of (third order) linear differential equations. *Appl. Algebra Engrg. Comm. Comput.*, 6(1):1–22, 1995.
- [13] Felix Ulmer. Liouvillian solutions of third order differential equations. *J. Symbolic Comput.*, 36(6):855–889, 2003.

Commutative Algebra

Computational Methods

13-04

- [1] I. Abdeljaouad-Tej, S. Orange, G. Renault, and A. Valibouze. Computation of the decomposition group of a triangular ideal. *Appl. Algebra Engrg. Comm. Comput.*, 15(3-4):279–294, 2004.
- [2] Fatima Abu Salem, Shuhong Gao, and Alan G. B. Lauder. Factoring polynomials via polytopes. In *ISSAC 2004*, pages 4–11. ACM, New York, 2004.
- [3] Gwénolé Ars, Jean-Charles Faugère, Hideki Imai, Mitsuru Kawazoe, and Makoto Sugita. Comparison between XL and Gröbner basis algorithms. In *Advances in Cryptology—Asiacrypt 2004*, volume 3329 of *Lecture Notes in Comput. Sci.*, pages 338–353. Springer, Berlin, 2004.
- [4] Philippe Aubry and Marc Moreno Maza. Triangular sets for solving polynomial systems: A comparative implementation of four methods. *J. Symbolic Comput.*, 28(1-2):125–154, 1999.
- [5] Mohamed Ayad and Peter Fleischmann. On the decomposition of rational functions. *J. Symbolic Comput.*, 43(4):259–274, 2008.
- [6] Aurélie Bauer and Antoine Joux. Toward a rigorous variation of Coppersmith’s algorithm on three variables. In *Advances in cryptology—EUROCRYPT 2007*, volume 4515 of *Lecture Notes in Comput. Sci.*, pages 361–378. Springer, Berlin, 2007.
- [7] Karim. Belabas, Mark van Hoeij, J. Klüners, and Allan Steel. Factoring polynomials over global fields. *Journal de Théorie des Nombres de Bordeaux*, (21):15–39, 2009.
- [8] Thomas Beth, Jörn Müller-Quade, and Rainer Steinwandt. Computing restrictions of ideals in finitely generated k -algebras by means of Buchberger’s algorithm. *J. Symbolic Comput.*, 41(3-4):372–380, 2006.

- [9] Alin Bostan, Bruno Salvy, and Éric Schost. Fast algorithms for zero-dimensional polynomial systems using duality. *Appl. Algebra Engrg. Comm. Comput.*, 14(4):239–272, 2003.
- [10] Richard Brent and Paul Zimmermann. A multi-level blocking distinct degree factorization algorithm. In *Finite Fields and Applications*, volume 461 of *Contemporary Mathematics*, 47–58 pages. 2008.
- [11] Michael Brickenstein and Alexander Dreyer. PolyBoRi: A framework for Gröbner-basis computations with Boolean polynomials. *J. Symbolic Comp.*, 44(9):1326–1345, 2009.
- [12] Michael Brickenstein, Alexander Dreyer, Gert-Martin Greuel, Markus Wedler, and Oliver Wienand. New developments in the theory of Gröbner bases and applications to formal verification. *J. Pure Appl. Algebra*, 213(8):1612–1635, 2009.
- [13] Stanislav Bulygin and Ruud Pellikaan. Bounded distance decoding of linear error-correcting codes with Gröbner bases. *J. Symb. Comput.*, 44(12):1626–1643, 2009.
- [14] Mihai Cipu. Gröbner bases and Diophantine analysis. *J. Symbolic Comput.*, 43(10):681–687, 2008.
- [15] Jennifer de Kleine, Michael Monagan, and Allan Wittkopf. Algorithms for the non-monic case of the sparse modular GCD algorithm. In *Proceedings of the 2005 International Symposium on Symbolic and Algebraic Computation: ISSAC’05*, pages 124–131 (electronic). ACM, New York, 2005.
- [16] Wolfram Decker and Theo de Jong. Gröbner bases and invariant theory. In *Gröbner bases and applications (Linz, 1998)*, volume 251 of *London Math. Soc. Lecture Note Ser.*, pages 61–89. Cambridge Univ. Press, Cambridge, 1998.
- [17] Harm Derksen. Computation of invariants for reductive groups. *Adv. Math.*, 141(2):366–384, 1999.
- [18] Harm Derksen and Gregor Kemper. *Computational Invariant Theory. Invariant Theory and Algebraic Transformation Groups, I*. Springer-Verlag, Berlin, 2002.

- [19] Clémence Durvye and Grégoire Lecerf. A concise proof of the Kronecker polynomial system solver from scratch. *Expo. Math.*, 26(2):101–139, 2008.
- [20] Tobias Eibach, Enrico Pilz, and Gunnar Völkel. Attacking Bivium using SAT solvers. In *Theory and Applications of Satisfiability Testing, SAT 2008*, volume 4996 of *Lecture Notes in Computer Science*, pages 63–76. Springer, Berlin, 2008.
- [21] Nicholas Eriksson. Toric ideals of homogeneous phylogenetic models. In *ISSAC 2004*, pages 149–154. ACM, New York, 2004.
- [22] Jeffrey B. Farr and Shuhong Gao. Computing Gröbner bases for vanishing ideals of finite sets of points. In *Applied Algebra, Algebraic Algorithms and Error-correcting Codes*, volume 3857 of *Lecture Notes in Comput. Sci.*, pages 118–127. Springer, Berlin, 2006.
- [23] Jeffrey B. Farr and Shuhong Gao. Gröbner bases and generalized Padé approximation. *Math. Comp.*, 75(253):461–473 (electronic), 2006.
- [24] Jean-Charles Faugère, Guillaume Moroz, Fabrice Rouillier, and Mohab Safey El Din. Classification of the perspective-three-point problem, discriminant variety and real solving polynomial systems of inequalities. In *ISSAC '08: International Symposium on Symbolic and Algebraic Computation*, pages 79–86, New York, NY, USA, 2008. ACM.
- [25] Akpodigha Filatei. *Implementation of Fast Polynomial Arithmetic in Aldor*. Master of Science thesis, University of Western Ontario, 2006.
- [26] Shuhong Gao, Daqing Wan, and Mingsheng Wang. Primary decomposition of zero-dimensional ideals over finite fields. *Math. Comp.*, 78(265):509–521, 2009.
- [27] Karin Gatermann. *Computer algebra methods for equivariant dynamical systems*, volume 1728 of *Lecture Notes in Mathematics*. Springer-Verlag, Berlin, 2000.
- [28] Karin Gatermann and Frédéric Guyard. Gröbner bases, invariant theory and equivariant dynamics. *J. Symbolic Comput.*, 28(1-2):275–302, 1999.

- [29] V. P. Gerdt and Yu. A. Blinkov. Strategies for selecting non-multiplicative prolongations in computing Janet bases. *Programirovanie*, (3):34–43, 2007.
- [30] Vladimir P. Gerdt. Involutive algorithms for computing Gröbner bases. In *Computational Commutative and Non-commutative Algebraic Geometry*, volume 196 of *NATO Sci. Ser. III Comput. Syst. Sci.*, pages 199–225. IOS, Amsterdam, 2005.
- [31] Vladimir P. Gerdt and Yuri A. Blinkov. On computing Janet bases for degree compatible orderings. In *Proceedings of the 10th Rhine Workshop on Computer Algebra (Basel), 2006*, pages 107–117. University of Basel, Basel, 2006.
- [32] Massimo Giuliatti. Involuppi di k -archi in piani proiettivi sopra campi finiti e basi di Gröbner. *Rendiconti del Circolo Matematico di Palermo*, 48(1):191–200, 1999.
- [33] Marc Giusti, Grégoire Lecerf, and Bruno Salvy. A Gröbner free alternative for polynomial system solving. *J. Complexity*, 17(1):154–211, 2001.
- [34] Marc Giusti and Éric Schost. Solving some overdetermined polynomial systems. In *ISSAC '99: Proceedings of the 1999 International Symposium on Symbolic and Algebraic Computation (Vancouver, BC)*, pages 1–8 (electronic), New York, 1999. ACM.
- [35] Hoans-Christian Graf von Bothmer, Oliver Labs, Josef Schicho, and Christiaan van de Woestijne. The Casas-Alvero conjecture for infinitely many degrees. *J. Algebra*, 316(1):224–230, 2007.
- [36] Renault Guénaél and Yokoyama Kazuhiro. Multi-modular algorithm for computing the splitting field of a polynomial. In *ISSAC '08: International Symposium on Symbolic and Algebraic Computation*, pages 247–254, New York, NY, USA, 2008. ACM.
- [37] David Harvey. A cache-friendly truncated FFT. *Theor. Comput. Sci.*, 410(27-29):2649–2658, 2009.
- [38] David Harvey. Faster polynomial multiplication via multipoint Kronecker substitution. *J. Symbolic Comp.*, 44(10):1502–1510, 2009.

- [39] Mikael Johansson. Computation of Poincaré-Betti series for monomial rings. *Rend. Istit. Mat. Univ. Trieste*, 37(1-2):85–94 (2006), 2005.
- [40] Gregor Kemper. Computational invariant theory. In *The Curves Seminar at Queen's. Vol. XII (Kingston, ON, 1998)*, volume 114 of *Queen's Papers in Pure and Appl. Math.*, pages 5–26. Queen's Univ., Kingston, ON, 1998.
- [41] Gregor Kemper. An algorithm to calculate optimal homogeneous systems of parameters. *J. Symbolic Comput.*, 27(2):171–184, 1999.
- [42] Gregor Kemper. The calculation of radical ideals in positive characteristic. *J. Symbolic Comput.*, 34(3):229–238, 2002.
- [43] Gregor Kemper. Computing invariants of reductive groups in positive characteristic. *Transform. Groups*, 8(2):159–176, 2003.
- [44] Simon King. Fast computation of secondary invariants. [arXiv:math/0701270](https://arxiv.org/abs/math/0701270), 13 pages, 2007.
- [45] Simon King. Minimal generating sets of non-modular invariant rings of finite groups. [arXiv:math/0703035](https://arxiv.org/abs/math/0703035), 14 pages, 2007.
- [46] Alexey Koloydenko. Symmetric measures via moments. *Bernoulli*, 14(2):362–390, 2008.
- [47] Teresa Krick. Straight-line programs in polynomial equation solving. In *Foundations of Computational Mathematics: Minneapolis, 2002*, volume 312 of *London Math. Soc. Lecture Note Ser.*, pages 96–136. Cambridge Univ. Press, Cambridge, 2004.
- [48] G. Lecerf. Quadratic Newton iteration for systems with multiplicity. *Found. Comput. Math.*, 2(3):247–293, 2002.
- [49] Grégoire Lecerf. Computing the equidimensional decomposition of an algebraic closed set by means of lifting fibers. *J. Complexity*, 19(4):564–596, 2003.
- [50] Grégoire Lecerf. Fast separable factorization and applications. *Appl. Algebra Engrg. Comm. Comput.*, 19(2):135–160, 2008.

- [51] Xin Li, Marc Moreno Maza, Raqeeb Rasheed, and Eric Schost. High-performance symbolic computation in a hybrid compiled-interpreted programming environment. In *International Conference on Computational Sciences and Its Applications. ICCSA. June 30- July 3, 2008*, pages 331–341. 2008.
- [52] Xin Li, Marc Moreno Maza, and Éric Schost. Fast arithmetic for triangular sets: from theory to practice. In *ISSAC 2007*, pages 269–276. ACM, New York, 2007.
- [53] Xin Li, Marc Moreno Maza, and Éric Schost. Fast arithmetic for triangular sets: from theory to practice. *J. Symbolic Comput.*, 44(7):891–907, 2009.
- [54] A. Marschner and J. Müller. On a certain algebra of higher modular forms. *Algebra Colloq.*, 16:371–380, 2009.
- [55] Mbakop Guy Merlin. *Eziente Losung reeller Polynomialer Gleichungssysteme*. PhD Thesis, Humboldt-Universität, Berlin, 1999.
- [56] V. A. Mityunin and E. V. Pankratiev. Parallel algorithms for Gröbner-basis construction. *J. Math. Sci. (N. Y.)*, 142(4):2248–2266, 2007.
- [57] Michael Monagan and Mark van Hoeij. A modular algorithm for computing polynomial GCDs over number fields presented with multiple extensions. <http://www.cecm.sfu.ca/CAG/papers/HoeijMonGCD.pdf>, 36 pages.
- [58] Teo Mora. The FGLM problem and Möller’s algorithm on zero-dimensional ideals. In *Sala, Massimiliano (ed.) and Mora, Teo (ed.) and Perret, Ludovic (ed.) and Sakata, Shojiro (ed.) and Traverso, Carlo (ed.), Gröbner Bases, Coding, and Cryptography*. Springer, Berlin, 2009.
- [59] Marc Moreno Maza, Greg Reid, Robin Scott, and Wenyuan Wu. On approximate triangular decompositions in dimension zero. *J. Symbolic Comput.*, 42(7):693–716, 2007.
- [60] Bernard Mourrain. Generalized normal forms and polynomial system solving. In *ISSAC’05: Proceedings of the 2005 International Symposium on Symbolic and Algebraic Computation*, pages 253–260 (electronic). ACM, New York, 2005.

- [61] Bernard Mourrain and Philippe Trébuchet. Stable normal forms for polynomial system solving. *Theoretical Computer Science*, 409(2):229 – 240, 2008.
- [62] Jörn Müller-Quade and Rainer Steinwandt. Basic algorithms for rational function fields. *J. Symbolic Comput.*, 27(2):143–170, 1999.
- [63] Jörn Müller-Quade and Rainer Steinwandt. Gröbner bases applied to finitely generated field extensions. *J. Symbolic Comput.*, 30(4):469–490, 2000.
- [64] G. H. Norton and A. Sălăgean. Cyclic codes and minimal strong Gröbner bases over a principal ideal ring. *Finite Fields Appl.*, 9(2):237–249, 2003.
- [65] Graham H. Norton and Ana Sălăgean. Strong Gröbner bases for polynomials over a principal ideal ring. *Bull. Austral. Math. Soc.*, 64(3):505–528, 2001.
- [66] Daniel Robertz. Noether normalization guided by monomial cone decompositions. *J. Symbolic Comp.*, 44(10):1359–1373, 2009.
- [67] Fabrice Rouillier, Mohab Safey El Din, and Éric Schost. Solving the Birkhoff interpolation problem via the critical point method: An experimental study. In Jürgen Richter-Gebert and Dongming Wang, editors, *ADG '00: Revised Papers from the Third International Workshop on Automated Deduction in Geometry (Zurich, 2000)*, volume 2061 of *Lecture Notes in Computer Science*, pages viii+325. Springer-Verlag, Berlin, 2001.
- [68] Luciano Sbaiz, Patrick Vandewalle, and Martin Vetterli. Groebner basis methods for multichannel sampling with unknown offsets. *Appl. Comput. Harmon. Anal.*, 25(3):277 – 294, 2008.
- [69] Roberto La Scala and Viktor Levandovskyy. Letterplace ideals and non-commutative Gröbner bases. *J. Symbolic Comp.*, 44(10):1374–1393, 2009.
- [70] Éric Schost. Degree bounds and lifting techniques for triangular sets. In *Proceedings of the 2002 International Symposium on Symbolic and Algebraic Computation*, pages 238–245 (electronic), New York, 2002. ACM.

- [71] Éric Schost. Complexity results for triangular sets. *J. Symbolic Comput.*, 36(3-4):555–594, 2003.
- [72] Éric Schost. Computing parametric geometric resolutions. *Appl. Algebra Engrg. Comm. Comput.*, 13(5):349–393, 2003.
- [73] R. James Shank and David L. Wehlau. Computing modular invariants of p -groups. *J. Symbolic Comput.*, 34(5):307–327, 2002.
- [74] Jessica Sidman and Seth Sullivant. Prolongations and computational algebra. *Can. J. Math*, 61(4):930–949, 2009.
- [75] Allan Steel. Conquering inseparability: Primary decomposition and multivariate factorization over algebraic function fields of positive characteristic. *J. Symbolic Comput.*, 40(3):1053–1075, 2005.
- [76] Till Stegers. *Faugère’s F5 Algorithm Revisited*. Phd thesis, Technische Universiteit Eindhoven, 2006.
- [77] Rainer Steinwandt. Decomposing systems of polynomial equations. In *Computer Algebra in Scientific Computing—CASC’99 (Munich)*, pages 387–407. Springer, Berlin, 1999.
- [78] Rainer Steinwandt. Implicitizing without tag variables. In *Proceedings of the 8th Rhine Workshop on Computer Algebra*, pages 217–224. 2002.
- [79] Rainer Steinwandt and Jörn Müller-Quade. Freeness, linear disjointness, and implicitization—a classical approach. *Beiträge Algebra Geom.*, 41(1):57–66, 2000.
- [80] Mark van Hoeij. Factoring polynomials and the knapsack problem. *J. Number Theory*, 95(2):167–189, 2002.
- [81] Pawel Wocjan. *Brill-Noether Algorithm Construction of Geometric Goppa Codes and Absolute Factorization of Polynomials*. PhD thesis, Institut für Algorithmen und Kognitive Systeme, Universität Karlsruhe, 1999.