

Number Theory

Algebraic Number Theory

11Rxx and 11Sxx

- [1] L. Bartholdi and M. R. Bush. Maximal unramified 3-extensions of imaginary quadratic fields and $SL_2(\mathbb{Z}_3)$. [arXiv:math.NT/0602364](#), 7 pages, 2006.
- [2] Wieb Bosma. Computation of cyclotomic polynomials with Magma. In *Computational Algebra and Number Theory (Sydney, 1992)*, volume 325 of *Math. Appl.*, pages 213–225. Kluwer Acad. Publ., Dordrecht, 1995.
- [3] Wieb Bosma and Bart de Smit. On arithmetically equivalent number fields of small degree. In *Algorithmic Number Theory (Sydney, 2002)*, volume 2369 of *Lecture Notes in Comput. Sci.*, pages 67–79. Springer, Berlin, 2002.
- [4] Alin Bostan, Frederic Chyzak, Grégoire Lecerf, Bruno Salvy, and Éric Schost. Differential equations for algebraic functions. [arXiv:cs/0703121](#), 16 pages, 2007.
- [5] Nigel Boston and Charles Leedham-Green. Counterexamples to a conjecture of Lemmermeyer. *Arch. Math. (Basel)*, 72(3):177–179, 1999.
- [6] M. R. Bush. Computation of Galois groups associated to the 2-class towers of some quadratic fields. *J. Number Theory*, 100(2):313–325, 2003.
- [7] H. Cohen, F. Diaz y Diaz, and M. Olivier. Subexponential algorithms for class group and unit computations. *J. Symbolic Comput.*, 24(3-4):433–441, 1997.
- [8] Samit Dasgupta. Computations of elliptic units for real quadratic fields. *Preprint*, 18 pages, 2004.
- [9] B. de Smit and H. W. Lenstra, Jr. Linearly equivalent actions of solvable groups. *J. Algebra*, 228(1):270–285, 2000.

- [10] Bart de Smit. On arithmetically equivalent fields with distinct p -class numbers. *J. Algebra*, 272(2):417–424, 2004.
- [11] Darrin Doud. Supersingular Galois representations and a generalization of a conjecture of Serre. *Experiment. Math.*, 16, 119–128 pages, 2007.
- [12] Kirsten Eisenträger and Kristin Lauter. Computing Igusa class polynomials via the chinese remainder theory. [arXiv:math.NT/04053505](https://arxiv.org/abs/math/04053505) v1, 2004.
- [13] Jordan S. Ellenberg and Akshay Venkatesh. The number of extensions of a number field with fixed degree and bounded discriminant. *Ann. of Math. (2)*, 163(2):723–741, 2006.
- [14] Claus Fieker. Applications of the class field theory of global fields. In *Discovering Mathematics with Magma*, volume 19 of *Algorithms Comput. Math.*, pages 31–62. Springer, Berlin, 2006.
- [15] Claus Fieker and Michael E. Pohst. Dependency of units in number fields. *Math. Comp.*, 75(255):1507–1518 (electronic), 2006.
- [16] David Ford, Sebastian Pauli, and Xavier-François Roblot. A fast algorithm for polynomial factorization over Q_p . *J. Théor. Nombres Bordeaux*, 14(1):151–169, 2002.
- [17] S. P. Glasby. On generators for the group of units of the ring of integers modulo n . *Preprint*, 4 pages.
- [18] Norbert Goeb. Computing the automorphism groups of hyperelliptic function fields. [arXiv:math.NT/0305284](https://arxiv.org/abs/math/0305284), 16 pages, 2003.
- [19] Emmanuel Hallouin and Christian Maire. Cancellation in totally definite quaternion algebras. *J. Reine Angew. Math.*, 595:189–213, 2006.
- [20] Emmanuel Hallouin and Marc Perret. On the kernel of the norm in some unramified number fields extensions. [arXiv:0706.0417](https://arxiv.org/abs/0706.0417), 6 pages, 2007.
- [21] F. Hess. An algorithm for computing isomorphisms of algebraic function fields. In *Algorithmic Number Theory*, volume 3076 of *Lecture Notes in Comput. Sci.*, pages 263–271. Springer, Berlin, 2004.

- [22] Florian Hess, Sebastian Pauli, and Michael E. Pohst. Computing the multiplicative group of residue class rings. *Math. Comp.*, 72(243):1531–1548 (electronic), 2003.
- [23] Henri Johnston. On the trace map between absolutely abelian number fields of equal conductor. *Acta Arith.*, 122(1):63–74, 2006.
- [24] L. J. P. Kilford. On mod p modular representations which are defined over F_p . [arXiv:math/0606052](#), 5 pages, 2006.
- [25] Jürgen Klüners and Gunter Malle. Counting nilpotent Galois extensions. *J. Reine Angew. Math.*, 572:1–26, 2004.
- [26] Jürgen Klüners and Sebastian Pauli. Computing residue class rings and Picard groups of orders. *J. Algebra*, 292(1):47–64, 2005.
- [27] M. Künzer and E. Wirsing. On coefficient valuations of Eisenstein polynomials. [arXiv:math.NT/0307219 v1](#), 21 pages, 2003.
- [28] Y. Lee, R. Scheidler, and C. Yarrish. Computation of the fundamental units and the regulator of a cyclic cubic function field. *Experiment. Math.*, 12(2):211–225, 2003.
- [29] William G. McCallum and Romyar T. Sharifi. A cup product in the Galois cohomology of number fields. *Duke Math. J.*, 120(2):269–310, 2003.
- [30] Sebastian Pauli and Florence Soriano-Gafiuk. The discrete logarithm in logarithmic l -class groups and its applications in K -theory. In *Algorithmic Number Theory*, volume 3076 of *Lecture Notes in Comput. Sci.*, pages 367–378. Springer, Berlin, 2004.
- [31] René Schoof. Arakelov class groups and ideal lattices. *Mathematisches Forschungsinstitut Oberwolfach Report No. 1/2005*, pages 23–24, 2005.
- [32] René Schoof. Computing Arakelov class groups. In *Surveys in Algorithmic Number Theory*, To appear. Cambridge University Press, Cambridge, 2007.
- [33] Romyar Sharifi. Iwasawa theory and the Eisenstein ideal. *Duke. Math. J.*, 137:63–101, 2007.

- [34] William Stein and Yan Zhang. On power bases in number fields. *Preprint*, 15 pages, 2005.
- [35] Gabor Wiese. On projective linear groups over finite fields as Galois groups over the rational numbers. [arXiv:math/0606732](https://arxiv.org/abs/math/0606732), 7 pages, 2006.