

Analysis

Analysis: General

26Xxx

- [1] Jeffrey B. Farr and Shuhong Gao. Gröbner bases and generalized Padé approximation. *Math. Comp.*, 75(253):461–473 (electronic), 2006.
- [2] Jean-Charles Faugère, François Moreau de Saint-Martin, and Fabrice Rouillier. Design of regular nonseparable bidimensional wavelets using Gröbner basis techniques. *IEEE Trans. Signal Process.*, 46(4):845–856, 1998.
- [3] M. Kasatani, T. Miwa, A. N. Sergeev, and A. P. Veselov. Coincident root loci and Jack and Macdonald polynomials for special values of the parameters. In *Jack, Hall-Littlewood and Macdonald Polynomials*, volume 417 of *Contemp. Math.*, pages 207–225. Amer. Math. Soc., Providence, RI, 2006.
- [4] Kiran S. Kedlaya. Search techniques for root-unitary polynomials. In *Computational arithmetic geometry*, volume 463 of *Contemp. Math.*, pages 71–81. Amer. Math. Soc., Providence, RI, 2008.
- [5] J.C van der Meer. Generic one-parameter versal unfoldings of symmetric hamiltonian systems in 1 : 1 resonance. *Int. J. Pure Appl. Math*, 53(4):547–561, 2009.
- [6] Shayne Waldron and Nick Hay. On computing all harmonic frames of n vectors in \mathbf{C}^d . *Appl. Comput. Harmon. Anal.*, 21(2):168–181, 2006.