

Commutative Algebra

Invariant Theory

13A50

- [1] Thomas Bayer. An algorithm for computing invariants of linear actions of algebraic groups up to a given degree. *J. Symbolic Comput.*, 35(4):441–449, 2003.
- [2] Dave Benson. Dickson invariants, regularity and computation in group cohomology. *Illinois J. Math.*, 48(1):171–197, 2004.
- [3] Mireille Boutin and Gregor Kemper. On reconstructing n -point configurations from the distribution of distances or areas. *Adv. in Appl. Math.*, 32(4):709–735, 2004.
- [4] Mireille Boutin and Gregor Kemper. On reconstructing configurations of points in P^2 from a joint distribution of invariants. *Appl. Algebra Engrg. Comm. Comput.*, 15(6):361–391, 2005.
- [5] H. E. A. Campbell, B. Fodden, and David L. Wehlau. Invariants of the diagonal C_p -action on V_3 . *J. Algebra*, 303(2):501–513, 2006.
- [6] H. E. A. Campbell, I. P. Hughes, G. Kemper, R. J. Shank, and D. L. Wehlau. Depth of modular invariant rings. *Transform. Groups*, 5(1):21–34, 2000.
- [7] Chris Charnes, Martin Rötteler, and Thomas Beth. On homogeneous bent functions. In *Applied Algebra, Algebraic Algorithms and Error-correcting Codes (Melbourne, 2001)*, volume 2227 of *Lecture Notes in Comput. Sci.*, pages 249–259. Springer, Berlin, 2001.
- [8] Chris Charnes, Martin Rötteler, and Thomas Beth. Homogeneous bent functions, invariants, and designs. *Des. Codes Cryptogr.*, 26(1-3):139–154, 2002.
- [9] Wolfram Decker and Theo de Jong. Gröbner bases and invariant theory. In *Gröbner bases and applications (Linz, 1998)*, volume 251 of *London Math. Soc. Lecture Note Ser.*, pages 61–89. Cambridge Univ. Press, Cambridge, 1998.

- [10] Harm Derksen. Computation of invariants for reductive groups. *Adv. Math.*, 141(2):366–384, 1999.
- [11] Harm Derksen and Gregor Kemper. *Computational Invariant Theory. Invariant Theory and Algebraic Transformation Groups, I*. Springer-Verlag, Berlin, 2002.
- [12] Alexander Duncan, Michael LeBlanc, and David L. Wehlau. A SAGBI basis for $F[V_2 \oplus V_2 \oplus V_3]^{C^p}$. *Canad. Math. Bull.*, 52(1):72–83, 2009.
- [13] Jonathan Elmer. Depth and detection in modular invariant theory. *J. Algebra*, 322(5):1653–1666, 2009.
- [14] Tom Fisher. The Hessian of a genus one curve. [arXiv:math.NT/0610403](https://arxiv.org/abs/math.NT/0610403), 28 pages, 2006.
- [15] P. Fleischmann, M. Sezer, R. J. Shank, and C. F. Woodcock. The Noether numbers for cyclic groups of prime order. *Adv. Math.*, 207(1):149–155, 2006.
- [16] Karin Gatermann and Frédéric Guyard. Gröbner bases, invariant theory and equivariant dynamics. *J. Symbolic Comput.*, 28(1-2):275–302, 1999.
- [17] Karin Gatermann and Pablo A. Parrilo. Symmetry groups, semidefinite programs, and sums of squares. *J. Pure Appl. Algebra*, 192(1-3):95–128, 2004.
- [18] M. Grassl, T. Beth, and M. Rötteler. Computing local invariants of quantum-bit systems. *Phys. Rev. A.*, 58(3):833–1839, 1998.
- [19] Ian Hughes and Gregor Kemper. Symmetric powers of modular representations, Hilbert series and degree bounds. *Comm. Algebra*, 28(4):2059–2088, 2000.
- [20] Ian Hughes and Gregor Kemper. Symmetric powers of modular representations for groups with a Sylow subgroup of prime order. *J. Algebra*, 241(2):759–788, 2001.
- [21] D. B. Karagueuzian and P. Symonds. The module structure of a group action on a polynomial ring: Examples, generalizations, and applications. In *Invariant Theory in all Characteristics*, volume 35 of *CRM*

- Proc. Lecture Notes*, pages 139–158. Amer. Math. Soc., Providence, RI, 2004.
- [22] Gregor Kemper. Calculating invariants of modular reflection groups with Magma. *Preprint*, 5 pages, 1997.
 - [23] Gregor Kemper. Computational invariant theory. In *The Curves Seminar at Queen's. Vol. XII (Kingston, ON, 1998)*, volume 114 of *Queen's Papers in Pure and Appl. Math.*, pages 5–26. Queen's Univ., Kingston, ON, 1998.
 - [24] Gregor Kemper. The depth of invariant rings and cohomology. *J. Algebra*, 245(2):463–531, 2001.
 - [25] Gregor Kemper. Computing invariants of reductive groups in positive characteristic. *Transform. Groups*, 8(2):159–176, 2003.
 - [26] Gregor Kemper. The computation of invariant fields and a constructive version of a theorem by Rosenlicht. *Transform. Groups*, 12(4):657–670, 2007.
 - [27] Gregor Kemper, Elmar Körding, Gunter Malle, B. Heinrich Matzat, Denis Vogel, and Gabor Wiese. A database of invariant rings. *Experiment. Math.*, 10(4):537–542, 2001.
 - [28] Gregor Kemper and Gunter Malle. Invariant fields of finite irreducible reflection groups. *Math. Ann.*, 315(4):569–586, 1999.
 - [29] Gregor Kemper and Allan Steel. Some algorithms in invariant theory of finite groups. In *Computational Methods for Representations of Groups and Algebras (Essen, 1997)*, volume 173 of *Progr. Math.*, pages 267–285. Birkhäuser, Basel, 1999.
 - [30] Simon King. Fast computation of secondary invariants. [arXiv:math/0701270](https://arxiv.org/abs/math/0701270), 13 pages, 2007.
 - [31] Simon King. Minimal generating sets of non-modular invariant rings of finite groups. [arXiv:math/0703035](https://arxiv.org/abs/math/0703035), 14 pages, 2007.
 - [32] Martin Kohls. *Invarianten zusammenhaengender Gruppen und die Cohen-Macaulay Eigenschaft*. Diplomarbeit, Technische Universitaet Muechen, 2005.

- [33] Martin Kohls. *Über die Tiefe von Invariantenringen unendlicher Gruppen*. PhD Thesis, Technische Universität München, 2007.
- [34] Martin Kohls. On the depth of invariant rings of infinite groups. *J. Algebra*, 322(1):210–218, 2009.
- [35] P. H. Kropholler, S. Mohseni Rajaei, and J. Segal. Invariant rings of orthogonal groups over \mathbf{F}_2 . *Glasg. Math. J.*, 47(1):7–54, 2005.
- [36] Martin Lorenz. *Multiplicative Invariant Theory*, volume 135 of *Encyclopaedia of Mathematical Sciences*. Springer-Verlag, Berlin, 2005.
- [37] A. Marschner and J. Müller. On a certain algebra of higher modular forms. *Algebra Colloq.*, 16:371–380, 2009.
- [38] Jürgen Müller and Christophe Ritzenthaler. On the ring of invariants of ordinary quartic curves in characteristic 2. *J. Algebra*, 303(2):530–542, 2006.
- [39] Gabriele Nebe, Eric M. Rains, and Neil J. A. Sloane. *Self-dual Codes and Invariant Theory*, volume 17 of *Algorithms and Computation in Mathematics*. Springer-Verlag, Berlin, 2006.
- [40] Mara D. Neusel and Müfit Sezer. The invariants of modular indecomposable representations of Z_{p^2} . *Math. Ann.*, 341(3):575–587, 2008.
- [41] W. Plesken and D. Robertz. Constructing invariants for finite groups. *Experiment. Math.*, 14(2):175–188, 2005.
- [42] Marc Stetson Renault. *Computing Generators for Rings of Multiplicative Invariants*. PhD Thesis, Temple University, 2002.
- [43] Müfit Sezer and R. James Shank. On the coinvariants of modular representations of cyclic groups of prime order. *J. Pure Appl. Algebra*, 205(1):210–225, 2006.
- [44] R. J. Shank. Classical covariants and modular invariants. In *Invariant Theory in all Characteristics*, volume 35 of *CRM Proc. Lecture Notes*, pages 241–249. Amer. Math. Soc., Providence, RI, 2004.

- [45] R. James Shank and David L. Wehlau. On the depth of the invariants of the symmetric power representations of $SL_2(\mathbf{F}_p)$. *J. Algebra*, 218(2):642–653, 1999.
- [46] R. James Shank and David L. Wehlau. Computing modular invariants of p -groups. *J. Symbolic Comput.*, 34(5):307–327, 2002.
- [47] R. James Shank and David L. Wehlau. Noether numbers for subrepresentations of cyclic groups of prime order. *Bull. London Math. Soc.*, 34(4):438–450, 2002.
- [48] R. James Shank and David L. Wehlau. Decomposing symmetric powers of certain modular representations of cyclic groups. [arXiv:math.AC/05099044 v2](https://arxiv.org/abs/math/0509904), 14 pages, 2005.
- [49] Nicolas M. Thiéry. Algebraic invariants of graphs; A study based on computer exploration. *SIGSAM Bulletin*, 34(3):9–20, 2000.