

# Number Theory

## Discontinuous Groups and Automorphic Forms

11Fxx

- [1] Scott Ahlgren. On the irreducibility of Hecke polynomials. *Math. Comp.*, 77(263):1725–1731, 2008.
- [2] Scott Ahlgren and Ken Ono. Arithmetic of singular moduli and class polynomials. *Compos. Math.*, 141(2):293–312, 2005.
- [3] A. O. L. Atkin, Wen-Ching Winnie Li, and Ling Long. On Atkin and Swinnerton-Dyer congruence relations. (II). *Math. Ann.*, 340(2):335–358, 2008.
- [4] Tobias Berger. An Eisenstein ideal for imaginary quadratic fields and the Bloch-Kato conjecture for Hecke characters. [arXiv:math.NT/0701177](https://arxiv.org/abs/math/0701177), 26 pages, 2007.
- [5] Tobias Berger and Krzysztof Klosin. A deformation problem for Galois representations over imaginary quadratic fields. *J. Inst. Math. Jussieu*, To appear:19, 2009.
- [6] Johan Bosman. On the computation of Galois representations associated to level one modular forms. [arXiv:0710.1237v1](https://arxiv.org/abs/0710.1237v1), 15 pages, 2007.
- [7] Jim Brown. Saito-Kurokawa lifts and applications to the Bloch-Kato conjecture. *Compos. Math.*, 143(2):290–322, 2007.
- [8] Jan Hendrik Bruinier and Tonghai Yang.  $CM$ -values of Hilbert modular functions. *Invent. Math.*, 163(2):229–288, 2006.
- [9] Yann Bugeaud, Maurice Mignotte, and Samir Siksek. A multi-Frey approach to some multi-parameter families of Diophantine equations. *Canad. J. Math.*, 60(3):491–519, 2008.
- [10] Cecilia Busuioc. The Steinberg symbol and special values of  $L$ -functions. *Trans. Amer. Math. Soc.*, 360(11):5999–6015, 2008.

- [11] Kevin Buzzard. Questions about slopes of modular forms. *Astérisque*, (298):1–15, 2005.
- [12] Kevin Buzzard and Frank Calegari. A counterexample to the Gouvêa-Mazur conjecture. *C. R. Math. Acad. Sci. Paris*, 338(10):751–753, 2004.
- [13] Kevin Buzzard and William A. Stein. A mod five approach to modularity of icosahedral Galois representations. *Pacific J. Math.*, 203(2):265–282, 2002.
- [14] Bryden Cais. Serre’s conjectures. *Preprint*, 21 pages, 2005.
- [15] Frank Calegari and Nathan M. Dunfield. Automorphic forms and rational homology 3-spheres. *Geom. Topol.*, 10:295–329 (electronic), 2006.
- [16] Frank Calegari and William A. Stein. Conjectures about discriminants of Hecke algebras of prime level. In *Algorithmic Number Theory*, volume 3076 of *Lecture Notes in Comput. Sci.*, pages 140–152. Springer, Berlin, 2004.
- [17] I. Chen, I. Kiming, and J. B. Rasmussen. On congruences mod  $p^m$  between eigenforms and their attached Galois representations. [arXiv:0809.3622](https://arxiv.org/abs/0809.3622), 11 pages, 2008.
- [18] C. J. Cummins. Congruence subgroups of groups commensurable with  $\mathrm{PSL}(2, Z)$  of genus 0 and 1. *Experiment. Math.*, 13(3):361–382, 2004.
- [19] Henri Darmon and Robert Pollack. Efficient calculation of Stark-Heegner points via overconvergent modular symbols. *Israel J. Math.*, 153:319–354, 2006.
- [20] Lassina Dembélé. Explicit computations of Hilbert modular forms on  $\mathbf{Q}(\sqrt{5})$ . *Experiment. Math.*, 14(4):457–466, 2005.
- [21] Lassina Dembélé. Quaternionic Manin symbols, Brandt matrices, and Hilbert modular forms. *Math. Comp.*, 76(258):1039–1057 (electronic), 2007.
- [22] Lassina Dembélé and Steve Donnelly. Computing Hilbert modular forms over fields with nontrivial class group. In *Algorithmic Number Theory*, volume 5011 of *Lecture Notes in Computer Science*, pages 371–386. Springer Berlin / Heidelberg, 2008.

- [23] Tobias Dern and Aloys Krieg. Graded rings of Hermitian modular forms of degree 2. *Manuscripta Math.*, 110(2):251–272, 2003.
- [24] Tobias Dern and Aloys Krieg. The graded ring of Hermitian modular forms of degree 2 over  $Q(\sqrt{-2})$ . *J. Number Theory*, 107(2):241–265, 2004.
- [25] Luis Dieulefait and Xavier Taixes i Ventosa. Congruences between modular forms and lowering the level mod  $l^n$ . [arXiv:0801.0104v1](#), 8 pages, 2007.
- [26] Darrin Doud. Three-dimensional Galois representations with conjectural connections to arithmetic cohomology. In *Number Theory for the Millennium I (Urbana, IL, 2000)*, pages 365–375. A K Peters, Natick, MA, 2002.
- [27] Darrin Doud. Distinguishing contragredient Galois representations in characteristic two. *Rocky Mountain J. Math.*, 38(3):835–848, 2008.
- [28] Darrin Doud and Brian Hansen. Explicit Frobenius calculations supporting a generalization of a conjecture of Serre. *JP J. Algebra Number Theory Appl.*, 6(2):381–398, 2006.
- [29] Neil Dummigan, William Stein, and Mark Watkins. Constructing elements in Shafarevich-Tate groups of modular motives. In *Number Theory and Algebraic Geometry*, volume 303 of *London Math. Soc. Lecture Note Ser.*, pages 91–118. Cambridge Univ. Press, Cambridge, 2003.
- [30] Bas Edixhoven. Comparison of integral structures on spaces of modular forms of weight two, and computation of spaces of forms mod 2 of weight one. *J. Inst. Math. Jussieu*, 5(1):1–34, 2006.
- [31] Liqun Fang, J. William Hoffman, Benjamin Linowitz, Andrew Rupinski, and Helena Verrill. Modular forms on noncongruence subgroups and Atkin-Swinnerton-Dyer relations. [arXiv:0805.2144v1 \[math.NT\]](#), 37 pages, 2008.
- [32] Julio Fernández, Josep González, and Joan-C. Lario. Plane quartic twists of  $X(5, 3)$ . *Canad. Math. Bull.*, 50(2):196–205, 2007.

- [33] Sharon M. Frechette. A classical characterization of newforms with equivalent eigenforms in  $S_{k+1/2}(4N, \chi)$ . *J. London Math. Soc. (2)*, 68(3):563–578, 2003.
- [34] Eberhard Freitag and Manabu Oura. A theta relation in genus 4. *Nagoya Math. J.*, 161:69–83, 2001.
- [35] Edray Goins. On the modularity of wildly ramified Galois representations. [arXiv:math.NT/0411214](https://arxiv.org/abs/math/0411214), 31 pages, 2004.
- [36] Samar Jaafar and Kamal Khuri-Makdisi. On the maps from  $X(4p)$  to  $X(4)$ . [arXiv:math/0702545](https://arxiv.org/abs/math/0702545), 11 pages, 2007.
- [37] Rafe Jones and Jeremy Rouse. Iterated endomorphisms of Abelian algebraic groups. [arXiv:0707.2384](https://arxiv.org/abs/0707.2384), 34 pages, 2007.
- [38] L. J. P. Kilford. Generating spaces of modular forms with  $\eta$ -quotients. *JP J. Algebra Number Theory Appl.*, 8(2):213–226, 2007.
- [39] L. J. P. Kilford. On mod  $p$  modular representations which are defined over  $F_p$ . *Glas. Mat. Ser. III*, 43(63)(1):1–6, 2008.
- [40] L. J. P. Kilford. On the slopes of the  $U_5$  operator acting on overconvergent modular forms. *J. Théor. Nombres Bordeaux*, 20(1):165–182, 2008.
- [41] L. J. P. Kilford. On the  $U_p$  operator acting on  $p$ -adic overconvergent modular forms when  $X_0(p)$  has genus 1. [arXiv:0810.4788](https://arxiv.org/abs/0810.4788), 10 pages, 2008.
- [42] L. J. P. Kilford and Gabor Wiese. On the failure of the Gorenstein property for Hecke algebras of prime weight. *Experiment. Math.*, 17(1):37–52, 2008.
- [43] Ingo Herbert Klöcker. *Modular Forms for the Orthogonal Group  $O(2, 5)$* . PhD thesis, 2005.
- [44] Elisavet Konstantinou and Kontogeorgis Aristides. Computing polynomials of the Ramanujan  $\mathfrak{t}_n$  class invariants. *Canad. Math. Bull.*, To appear, 12 pages, 2007.

- [45] Aristides Kontogeorgis and Yifan Yang. Automorphisms of hyperelliptic modular curves  $X_0(n)$  in positive characteristic. [arXiv:0811.0876](#), 20 pages, 2008.
- [46] A. Krieg. The graded ring of quaternionic modular forms of degree 2. *Math. Z.*, 251(4):929–942, 2005.
- [47] Dominic Lanphier. Combinatorics of Maass-Shimura operators. *J. Number Theory*, 128(8):2467–2487, 2008.
- [48] Joan-C. Lario and René Schoof. Some computations with Hecke rings and deformation rings. *Experiment. Math.*, 11(2):303–311, 2002.
- [49] Mark Lingham. *Modular Forms and Elliptic Curves over Imaginary Quartic Fields*. PhD Thesis, University of Nottingham, 2005.
- [50] Ling Long. On Atkin and Swinnerton-Dyer congruence relations. III. *J. Number Theory*, 128(8):2413–2429, 2008.
- [51] A. Marschner and J. Müller. On a certain algebra of higher modular forms. *Algebra Colloq.*, 16:371–380, 2009.
- [52] Barry Mazur, William Stein, and John Tate. Computation of  $p$ -adic heights and log convergence. *Doc. Math.*, (Extra Vol.):577–614 (electronic), 2006.
- [53] G. Nebe. Kneser-Hecke-operators in coding theory. *Abh. Math. Sem. Univ. Hamburg*, 76:79–90, 2006.
- [54] Gabriele Nebe. An analogue of Hecke-operators in coding theory. [arXiv:math.NT/05509474 v1](#), 15 pages, 2005.
- [55] Gabriele Nebe and Maria Teider. Hecke actions on certain strongly modular genera of lattices. *Arch. Math. (Basel)*, 84(1):46–56, 2005.
- [56] Ken Ono. *The Web of Modularity: Arithmetic of the Coefficients of Modular Forms and  $q$ -series*, volume 102 of *CBMS Regional Conference Series in Mathematics*. Published for the Conference Board of the Mathematical Sciences, Washington, DC, 2004.
- [57] Manabu Oura, Cris Poor, and David S. Yuen. Towards the Siegel ring in genus four. *Int. J. Number Theory*, 4(4):563–586, 2008.

- [58] Ariel Pacetti and Fernando Rodriguez Villegas. Computing weight 2 modular forms of level  $p^2$ . *Math. Comp.*, 74(251):1545–1557 (electronic), 2005.
- [59] Kathleen L. Petersen. One-cusped congruence subgroups of Bianchi groups. *Math. Ann.*, 338(2):249–282, 2007.
- [60] Francesco Dalla Piazza and Bert van Geemen. Siegel modular forms and finite symplectic groups. [arXiv:0804.3769v2](https://arxiv.org/abs/0804.3769v2), 33 pages, 2008.
- [61] Robert Pollack. On the  $p$ -adic  $L$ -function of a modular form at a supersingular prime. *Duke Math. J.*, 118(3):523–558, 2003.
- [62] Alexandru A. Popa. Central values of Rankin  $L$ -series over real quadratic fields. *Compos. Math.*, 142(4):811–866, 2006.
- [63] Jordi Quer. Fields of definition of building blocks. *Math. Comp.*, 78(265):537–554, 2009.
- [64] Jeremy Rouse. Bounds for the coefficients of powers of the Delta-function. *Bull. London Math. Soc.*, 40(6):1081–1090, 2008.
- [65] Emmanuel Royer. Evaluating convolution sums of the divisor function with quasimodular forms. *Int. J. Number Theory*, 3(2):231–261, 2007.
- [66] Michael M. Schein. Weights in Serre’s conjecture for Hilbert modular forms: the ramified case. *Israel J. Math.*, 166:369–391, 2008.
- [67] Mehmet Haluk Şengün. The nonexistence of certain representations of the absolute Galois group of quadratic fields. *Proc. Amer. Math. Soc.*, 137(1):27–35, 2009.
- [68] William Stein. *Modular Forms: A Computational Approach*, volume 79 of *Graduate Studies in Mathematics*. American Mathematical Society, Providence, RI, 2007.
- [69] William A. Stein. *Explicit Approaches to Modular Abelian Varieties*. PhD Thesis, University of California, Berkeley, 2000.
- [70] William A. Stein and Helena A. Verrill. Cuspidal modular symbols are transportable. *LMS J. Comput. Math.*, 4:170–181 (electronic), 2001.

- [71] Helena A. Verrill. Transportable modular symbols and the intersection pairing. In *Algorithmic Number Theory (Sydney, 2002)*, volume 2369 of *Lecture Notes in Comput. Sci.*, pages 219–233. Springer, Berlin, 2002.
- [72] John Voight. Computing fundamental domains for Fuchsian groups. [arXiv:math.NT/0802.0196v1](https://arxiv.org/abs/math/0802.0196v1), 16 pages, 2008.
- [73] Gabor Wiese. Dihedral Galois representations and Katz modular forms. *Doc. Math.*, 9:123–133 (electronic), 2004.
- [74] Gabor Wiese. *Modular Forms of Weight One over Finite Fields*. PhD Thesis, Universiteit Leiden, 2005.
- [75] Gabor Wiese. On the faithfulness of parabolic cohomology as a Hecke module over a finite field. *J. Reine Angew. Math.*, 606:79–103, 2007.
- [76] Gabor Wiese. On projective linear groups over finite fields as Galois groups over the rational numbers. In *Edixhoven, Bas et al., Modular forms on Schiermonnikoog. Based on the conference on modular forms, Schiermonnikoog, Netherlands, October 2006*, pages 343–350. Cambridge University Press, Cambridge, 2008.
- [77] Gabor Wiese. On modular symbols and the cohomology of Hecke triangle surfaces. *Int. J. Number Theory*, 5(1):89–108, 2009.
- [78] Dan Yasaki. Integral cohomology of certain Picard modular surfaces. [arXiv:0709.1121v1](https://arxiv.org/abs/0709.1121v1), 14 pages, 2007.
- [79] Dan Yasaki. Elliptic points of the Picard modular group. *Monatsh. Math.*, 156(4):391–396, 2009.