

# Designs and Configurations

05Bxx

- [1] David Applegate, E. M. Rains, and N. J. A. Sloane, *On asymmetric coverings and covering numbers*, J. Combin. Des. **11** (2003), no. 3, 218–228. MR MR1973254 (2004b:05058)
- [2] Makoto Araya, Masaaki Harada, and Hadi Kharaghani, *Some Hadamard matrices of order 32 and their binary codes*, J. Combin. Des. **12** (2004), no. 2, 142–146. MR MR2036652 (2004m:94092)
- [3] E. F. Assmus, Jr. and J. D. Key, *Translation planes and derivation sets*, J. Geom. **37** (1990), no. 1-2, 3–16. MR MR1041974 (92e:51018a)
- [4] ———, *Hadamard matrices and their designs: A coding-theoretic approach*, Trans. Amer. Math. Soc. **330** (1992), no. 1, 269–293. MR MR1055565 (92f:05024)
- [5] R. A. Bailey, Peter J. Cameron, Peter Dobcsányi, John P. Morgan, and Leonard H. Soicher, *Designs on the web*, Discrete Math. **306** (2006), no. 23, 3014–3027. MR MR2273130 (2007g:05017)
- [6] John Bamberg and Tim Penttila, *A classification of transitive ovoids, spreads, and  $m$ -systems of polar spaces*, Forum Math. **21** (2009), no. 2, 181–216. MR MR2503303
- [7] Eiichi Bannai and Etsuko Bannai, *On Euclidean tight 4-designs*, J. Math. Soc. Japan **58** (2006), no. 3, 775–804. MR MR2254411
- [8] L. M. Batten and J. M. Dover, *Some sets of type  $(m, n)$  in cubic order planes*, Des. Codes Cryptogr. **16** (1999), no. 3, 211–213. MR MR1689577 (2000d:51011)
- [9] Thomas Beth, Christopher Charney, Markus Grassl, Gernot Alber, Aldo Delgado, and Michael Mussinger, *A new class of designs which protect against quantum jumps*, Des. Codes Cryptogr. **29** (2003), no. 1-3, 51–70. MR MR1993156 (2004i:94065)
- [10] Anton Betten, Adalbert Kerber, Reinhard Laue, and Alfred Wassermann, *Simple 8-designs with small parameters*, Des. Codes Cryptogr. **15** (1998), no. 1, 5–27. MR MR1643532 (99g:05019)
- [11] A. Bonnet, E. Rains, and P. Solé, *3-colored 5-designs and  $Z_4$ -codes*, J. Statist. Plann. Inference **86** (2000), no. 2, 349–368. MR MR1768278 (2001g:05021)

- [12] A. Bonnetcaze, P. Solé, and P. Udaya, *Tricolore 3-designs in type III codes*, Discrete Math. **241** (2001), no. 1-3, 129–138. MR MR1861413 (2002m:05031)
- [13] Alexis Bonnetcaze, Bernard Mourrain, and Patrick Solé, *Jacobi polynomials, type II codes, and designs*, Des. Codes Cryptogr. **16** (1999), no. 3, 215–234. MR MR1689581 (2000b:05032)
- [14] Thomas Britz and Carrie G. Rutherford, *Covering radii are not matroid invariants*, Discrete Math. **296** (2005), no. 1, 117–120. MR MR2148485 (2005m:05048)
- [15] Thomas Britz and Keisuke Shiromoto, *Designs from subcode supports of linear codes*, Des. Codes Cryptogr. **46** (2008), no. 2, 175–189. MR MR2368992 (2009a:94040)
- [16] S. Allen Broughton, Robert M. Dirks, Maria T. Slougher, and C. Ryan Vinroot, *Triangular surface tiling groups for low genus*, 2001.
- [17] F. Buekenhout, A. Delandtsheer, and J. Doyen, *Finite linear spaces with flag-transitive groups*, J. Combin. Theory Ser. A **49** (1988), no. 2, 268–293. MR MR964388 (89k:20007)
- [18] A. R. Camina and L. Di Martino, *Block designs on 196 points*, Arch. Math. (Basel) **53** (1989), no. 4, 414–416. MR MR1016008 (90g:05032)
- [19] ———, *The group of automorphisms of a transitive 2-(91, 6, 1) design*, Geom. Dedicata **31** (1989), no. 2, 151–164. MR MR1012437 (91a:20006)
- [20] I. Cardinali, N. Durante, T. Penttila, and R. Trombetti, *Bruen chains over fields of small order*, Discrete Math. **282** (2004), no. 1-3, 245–247. MR MR2059524 (2004m:51008)
- [21] L. L. Carpenter and J. D. Key, *On Hadamard matrices from resolvable Steiner designs*, Proceedings of the Twenty-sixth Southeastern International Conference on Combinatorics, Graph Theory and Computing (Boca Raton, FL, 1995), vol. 108, 1995, pp. 53–63. MR MR1369276 (96h:05034)
- [22] David B. Chandler and Qing Xiang, *Cyclic relative difference sets and their p-ranks*, Des. Codes Cryptogr. **30** (2003), no. 3, 325–343. MR MR2009282 (2004j:05031)
- [23] Chris Charnes, Martin Rötteler, and Thomas Beth, *Homogeneous bent functions, invariants, and designs*, Des. Codes Cryptogr. **26** (2002), no. 1-3, 139–154. MR MR1919874 (2003h:05043)

- [24] D. Combe, W. D. Palmer, and W. R. Unger, *Bhaskar Rao designs and the alternating group  $A_4$* , Australas. J. Combin. **24** (2001), 275–283. MR MR1852826 (2002f:05027)
- [25] Marston Conder and John McKay, *Markings of the Golay code*, New Zealand J. Math. **25** (1996), no. 2, 133–139. MR MR1421485 (97g:05040)
- [26] Antonio Cossidente and Sam K. J. Vereecke, *Some geometry of the isomorphism  $\text{Sp}(4, q) \cong \text{O}(5, q)$ ,  $q$  even*, J. Geom. **70** (2001), no. 1-2, 28–37. MR MR1825542 (2002g:05043)
- [27] M. R. Darafsheh, A. Iranmanesh, and R. Kahkeshani, *Some designs and codes invariant under the groups  $S_9$  and  $A_8$* , Des. Codes Cryptogr. **51** (2009), no. 2, 211–223. MR MR2480700 (2009k:05193)
- [28] Warwick de Launey and Richard M. Stafford, *On cocyclic weighing matrices and the regular group actions of certain Paley matrices*, Discrete Appl. Math. **102** (2000), no. 1-2, 63–101. MR MR1758337 (2001d:05027)
- [29] U. Dempwolff, *Automorphisms and equivalence of bent functions and of difference sets in elementary abelian 2-groups*, Comm. Algebra **34** (2006), no. 3, 1077–1131. MR MR2208119 (2006m:05035)
- [30] Cunsheng Ding, Zeying Wang, and Qing Xiang, *Skew Hadamard difference sets from the Ree-Tits slice symplectic spreads in  $\text{PG}(3, 3^{2h+1})$* , J. Combin. Theory Ser. A **114** (2007), no. 5, 867–887. MR MR2333138
- [31] Cunsheng Ding and Jin Yuan, *A family of skew Hadamard difference sets*, J. Combin. Theory Ser. A **113** (2006), no. 7, 1526–1535. MR MR2259075 (2008c:05020)
- [32] G. L. Ebert, *Quasimultiples of geometric designs*, Discrete Math. **284** (2004), no. 1-3, 123–129. MR MR2071902 (2005b:05049)
- [33] Ronald Evans, Henk D. L. Hollmann, Christian Krattenthaler, and Qing Xiang, *Gauss sums, Jacobi sums, and  $p$ -ranks of cyclic difference sets*, J. Combin. Theory Ser. A **87** (1999), no. 1, 74–119. MR MR1698269 (2001b:05038)
- [34] Tao Feng, *Non-abelian skew hadamard difference sets fixed by a prescribed automorphism*, J Combin. Theory Ser. A **To appear** (2009).
- [35] W. Fish, J. D. Key, and E. Mwambene, *Graphs, designs and codes related to the  $n$ -cube*, Discrete Math. **309** (2009), no. 10, 3255–3269. MR MR2526744

- [36] D. L. Flannery, *Cocyclic Hadamard matrices and Hadamard groups are equivalent*, J. Algebra **192** (1997), no. 2, 749–779. MR MR1452686 (98f:20036)
- [37] Anna Fukshansky and Corinna Wiedorn, *C-extensions of the Petersen geometry for  $M_{22}$* , European J. Combin. **20** (1999), no. 3, 233–238. MR MR1687239 (2000f:05089)
- [38] S. Georgiou, I. Kotsireas, and C. Koukouvinos, *Inequivalent Hadamard matrices of order  $2n$  constructed from Hadamard matrices of order  $n$* , J. Combin. Math. Combin. Comput. **63** (2007), 65–79. MR MR2363911 (2008i:05024)
- [39] S. Georgiou and C. Koukouvinos, *Some results on orthogonal designs and Hadamard matrices*, Int. J. Appl. Math. **17** (2005), no. 4, 433–443. MR MR2199768 (2007b:05032)
- [40] Stelios D. Georgiou, *New two-variable full orthogonal designs and related experiments with linear regression models*, Statist. Probab. Lett. **77** (2007), no. 1, 25–31. MR MR2339015
- [41] Claudia Gohlsch, Helmut Koch, and Gabriele Nebe, *Block squares*, Math. Nachr. **241** (2002), 73–102. MR MR1912379 (2003f:05013)
- [42] Ken Gray, *On the minimum number of blocks defining a design*, Bull. Austral. Math. Soc. **41** (1990), no. 1, 97–112. MR MR1043970 (91e:05016)
- [43] Masaaki Harada, *On the self-dual  $F_5$ -codes constructed from Hadamard matrices of order 24*, J. Combin. Des. **13** (2005), no. 2, 152–156. MR MR2116198 (2005i:05026)
- [44] ———, *Self-orthogonal 3-(56, 12, 65) designs and extremal doubly-even self-dual codes of length 56*, Des. Codes Cryptogr. **38** (2006), no. 1, 5–16. MR MR2191121 (2006h:94250)
- [45] Masaaki Harada, Clement Lam, and Vladimir D. Tonchev, *Symmetric (4, 4)-nets and generalized Hadamard matrices over groups of order 4*, Des. Codes Cryptogr. **34** (2005), no. 1, 71–87. MR MR2126578
- [46] Masaaki Harada and Akihiro Munemasa, *A quasi-symmetric 2-(49, 9, 6) design*, J. Combin. Des. **10** (2002), no. 3, 173–179. MR MR1896652 (2003c:05035)
- [47] Masaaki Harada and Vladimir D. Tonchev, *Self-orthogonal codes from symmetric designs with fixed-point-free automorphisms*, Discrete Math. **264** (2003), no. 1-3, 81–90, The 2000 Com<sup>2</sup>MaC Conference on Association Schemes, Codes and Designs (Po-hang). MR MR1972023 (2004f:94099)

- [48] K. J. Horadam, *An introduction to cocyclic generalised Hadamard matrices*, Discrete Appl. Math. **102** (2000), no. 1-2, 115–131, Coding, cryptography and computer security (Lethbridge, AB, 1998). MR MR1758339 (2001i:05043)
- [49] ———, *Hadamard matrices and their applications*, Princeton University Press, Princeton, NJ, 2007. MR MR2265694 (2008d:05036)
- [50] Naoyuki Horiguchi, Hiroyuki Nakasora, and Takehisa Wakabayashi, *On the strongly regular graphs obtained from quasi-symmetric 2-(31, 7, 7) designs*, Bull. Yamagata Univ. Natur. Sci. **16** (2005), no. 1, 1–6. MR MR2127982 (2006c:05146)
- [51] Masakazu Jimbo and Keisuke Shiromoto, *A construction of mutually disjoint Steiner systems from isomorphic Golay codes*, J. Combin. Theory Ser. A **116** (2009), no. 7, 1245–1251. MR MR2527609
- [52] G. A. Kadir and J. D. Key, *The Steiner system  $S(5, 8, 24)$  constructed from dual affine planes*, Proc. Roy. Soc. Edinburgh Sect. A **103** (1986), no. 1-2, 147–160. MR MR858124 (87j:05049)
- [53] Wen-Fong Ke, *On nonisomorphic BIBD with identical parameters*, Combinatorics '90 (Gaeta, 1990), Ann. Discrete Math., vol. 52, North-Holland, Amsterdam, 1992, pp. 337–346. MR MR1195821 (93k:05018)
- [54] J. D. Key, *Extendable Steiner designs*, Geom. Dedicata **41** (1992), no. 2, 201–205. MR MR1153983 (93h:05036)
- [55] ———, *On a class of 1-designs*, European J. Combin. **14** (1993), no. 1, 37–41. MR MR1197474 (93m:05021)
- [56] ———, *Extendable Steiner designs from finite geometries*, J. Statist. Plann. Inference **56** (1996), no. 2, 181–186, Special issue on orthogonal arrays and affine designs, Part II. MR MR1436004 (97j:05020)
- [57] J. D. Key and M. J. de Resmini, *Small sets of even type and codewords*, J. Geom. **61** (1998), no. 1-2, 83–104. MR MR1603821 (98k:51024)
- [58] J. D. Key and K. Mackenzie, *Ovals in the designs  $W(2^m)$* , Ars Combin. **33** (1992), 113–117. MR MR1174835 (93d:05035)

- [59] J. D. Key and K. Mackenzie-Fleming, *Rigidity theorems for a class of affine resolvable designs*, J. Combin. Math. Combin. Comput. **35** (2000), 147–160. MR MR1806994 (2001m:05040)
- [60] J. D. Key, T. P. McDonough, and V. C. Mavron, *Partial permutation decoding for codes from finite planes*, European J. Combin. **26** (2005), no. 5, 665–682. MR MR2127688 (2005k:05056)
- [61] J. D. Key and J. Moorj, *Codes, designs and graphs from the Janko groups  $J_1$  and  $J_2$* , J. Combin. Math. Combin. Comput. **40** (2002), 143–159. MR MR1887973 (2002m:05035)
- [62] J. D. Key and F. D. Shobe, *Some transitive Steiner triple systems of Bagchi and Bagchi*, J. Statist. Plann. Inference **58** (1997), no. 1, 79–86. MR MR1437033 (98i:05020)
- [63] J. D. Key and F. E. Sullivan, *Codes of Steiner triple and quadruple systems*, Des. Codes Cryptogr. **3** (1993), no. 2, 117–125. MR MR1218944 (94e:05050)
- [64] ———, *Steiner triple systems with many affine hyperplanes*, Proceedings of the Twenty-sixth Southeastern International Conference on Combinatorics, Graph Theory and Computing (Boca Raton, FL, 1995), vol. 107, 1995, pp. 105–112. MR MR1369258
- [65] Michael Kiermaier and Sascha Kurz, *Maximal integral point sets in affine planes over finite fields*, Discrete Math. **309** (2009), no. 13, 4564–4575. MR MR2519195
- [66] Jon-Lark Kim and Vera Pless, *Designs in additive codes over  $\text{GF}(4)$* , Des. Codes Cryptogr. **30** (2003), no. 2, 187–199. MR MR2007210 (2005b:94067)
- [67] Jon-Lark Kim and Patrick Solé, *Skew Hadamard designs and their codes*, Des. Codes Cryptogr. **49** (2008), no. 1-3, 135–145. MR MR2438446
- [68] I. S. Kotsireas and C. Koukouvinos, *Inequivalent hadamard matrices from orthogonal designs*, PASCO '07: Proceedings of the 2007 International Workshop on Parallel Symbolic Computation (New York, NY, USA), ACM, 2007, pp. 95–96.
- [69] Ilias S. Kotsireas and Christos Koukouvinos, *Constructions for Hadamard matrices of Williamson type*, J. Combin. Math. Combin. Comput. **59** (2006), 17–32. MR MR2277340 (2007g:05033)
- [70] ———, *Orthogonal designs via computational algebra*, J. Combin. Des. **14** (2006), no. 5, 351–362. MR MR2245551

- [71] Ilias S. Kotsireas, Christos Koukouvinos, and Jennifer Seberry, *Hadamard ideals and Hadamard matrices with circulant core*, J. Combin. Math. Combin. Comput. **57** (2006), 47–63. MR MR2226682 (2007a:05024)
- [72] ———, *Hadamard ideals and Hadamard matrices with two circulant cores*, European J. Combin. **27** (2006), no. 5, 658–668. MR MR2215425
- [73] C. Koukouvinos and S. Stylianou, *On skew-Hadamard matrices*, Discrete Math. **308** (2008), no. 13, 2723–2731. MR MR2413970
- [74] Christos Koukouvinos and Dimitris E. Simos, *Improving the lower bounds on inequivalent Hadamard matrices through orthogonal designs and meta-programming techniques*, Applied Numerical Mathematics **To appear** (2009).
- [75] Wolfgang Lempken, *Two new symmetric 2-(144, 66, 30) designs*.
- [76] Keith E. Mellinger, *Designs, Geometry, and a Golfer’s Dilemma*, Math. Mag. **77** (2004), no. 4, 275–282. MR MR1573761
- [77] Jamshid Moori and B. G. Rodrigues, *Some designs and codes invariant under the simple group  $\text{Co}_2$* , J. Algebra **316** (2007), no. 2, 649–661. MR MR2358607
- [78] Akihiro Munemasa and Vladimir D. Tonchev, *A new quasi-symmetric 2-(56, 16, 6) design obtained from codes*, Discrete Math. **284** (2004), no. 1-3, 231–234. MR MR2071915 (2005b:05027)
- [79] Werner Nickel, Alice C. Niemeyer, Christine M. O’Keefe, Tim Penttila, and Cheryl E. Praeger, *The block-transitive, point-imprimitive 2-(729, 8, 1) designs*, Appl. Algebra Engrg. Comm. Comput. **3** (1992), no. 1, 47–61. MR MR1325745 (96j:05024)
- [80] Christopher Parker, Edward Spence, and Vladimir D. Tonchev, *Designs with the symmetric difference property on 64 points and their groups*, J. Combin. Theory Ser. A **67** (1994), no. 1, 23–43. MR MR1280597 (95d:05021)
- [81] Christopher Parker and Vladimir D. Tonchev, *Linear codes and doubly transitive symmetric designs*, Linear Algebra Appl. **226/228** (1995), 237–246. MR MR1344564 (96e:05021)
- [82] E. M. Rains, N. J. A. Sloane, and John Stufken, *The lattice of  $N$ -run orthogonal arrays*, J. Statist. Plann. Inference **102** (2002), no. 2, 477–500, Silver jubilee issue. MR MR1897221 (2003c:62138)

- [83] Colin Ramsay, *Trades and defining sets: Theoretical and computational results*, Ph.D. thesis, University of Queensland, 1998, pp. 1–223.
- [84] B. G. Rodrigues, *Self-orthogonal designs and codes from the symplectic groups  $S_4(3)$  and  $S_4(4)$* , Discrete Math. **308** (2008), no. 10, 1941–1950. MR MR2394462 (2009a:05022)
- [85] Nagwa Kamal Ahmed Rostom, *On the  $p$ -rank of  $t$ -designs*, MSc Thesis, University of Birmingham, 1985.
- [86] Chekad Sarami and Vladimir D. Tonchev, *Cyclic quasi-symmetric designs and self-orthogonal codes of length 63*, J. Statist. Plann. Inference **138** (2008), no. 1, 80–85. MR MR2369615 (2009b:05039)
- [87] Bernd Schmalz,  *$t$ -Designs zu vorgegebener Automorphismengruppe*, Bayreuth. Math. Schr. (1992), no. 41, 164, Dissertation, Universität Bayreuth, Bayreuth, 1992. MR MR1166044 (93f:05024)
- [88] Michel Seville, *On a result of Cameron and Praeger on block-transitive point-imprimitive  $t$ -designs*, Algebraic Combinatorics and Applications (Gößweinstein, 1999), Springer, Berlin, 2001, pp. 316–323. MR MR1851959 (2002j:05022)
- [89] Martin J. Sharry, *Partitioning sets of quintuples into designs*, J. Combin. Math. Combin. Comput. **6** (1989), 67–103. MR MR1025009 (90j:05034)
- [90] Junichi Shigezumi, *On 3-lattices and spherical designs*, 2008.
- [91] Pawel Wocjan, *Efficient decoupling schemes with bounded controls based on Eulerian orthogonal arrays*, Phy. Rev. A. **73** (2006), no. 6, 7.