

# Abstract Finite Groups

20Dxx

- [1] A. Adem, J. F. Carlson, D. B. Karagueuzian, and R. James Milgram, *The cohomology of the Sylow 2-subgroup of the Higman-Sims group*, J. Pure Appl. Algebra **164** (2001), no. 3, 275–305. MR MR1857743 (2002g:20089)
- [2] Faryad Ali and Jamshid Moori, *Fischer-Clifford matrices of the non-split group extension  $2^6 \cdot U_4(2)$* , Quaest. Math. **31** (2008), no. 1, 27–36. MR MR2404644
- [3] Habib Amiri, S. M. Jafarian Amiri, and I. M. Isaacs, *Sums of element orders in finite groups*, Comm. Algebra **37** (2009), no. 9, 2978–2980. MR MR2554185
- [4] Jianbei An, John J. Cannon, E. A. O'Brien, and W. R. Unger, *The Alperin weight conjecture and Dade's conjecture for the simple group  $Fi'_{24}$* , LMS J. Comput. Math. **11** (2008), 100–145. MR MR2410917
- [5] Michael Aschbacher and Marshall Hall, Jr., *Groups generated by a class of elements of order 3*, Finite groups '72 (Proc. Gainesville Conf., Univ. Florida, Gainesville, Fla., 1972), North-Holland Amsterdam, 1973, pp. 12–18. North-Holland Math. Studies, Vol. 7. MR MR0360794 (50 #13241)
- [6] Sarah Astill, *3-local identifications of some finite simple groups*, Ph.D. thesis, University of Birmingham, 2007.
- [7] Sarah Astill and Chris Parker, *A 3-local characterization of  $M_{12}$  and  $SL_3(3)$* , Arch. Math. (Basel) **92** (2009), no. 2, 99–110. MR MR2481505
- [8] Roberto M. Avanzi, Mathias Kratzer, and Gerhard O. Michler, *Janko's simple groups  $J_2$  and  $J_3$  are irreducible subgroups of  $SL_{85}(5)$  with equal centralizers of an involution*, Groups and Computation, III (Columbus, OH, 1999), Ohio State Univ. Math. Res. Inst. Publ., vol. 8, de Gruyter, Berlin, 2001, pp. 21–37. MR MR1829469 (2002d:20016)
- [9] Nir Avni and Shelly Garion, *Connectivity of the product replacement graph of simple groups of bounded Lie rank*, J. Algebra **320** (2008), no. 2, 945–960. MR MR2422323
- [10] Henrik Bäårnhelm, *Recognising the Suzuki groups in their natural representations*, J. Algebra **300** (2006), no. 1, 171–198. MR MR2228642 (2007f:20031)

- [11] Robert F. Bailey and John N. Bray, *Decoding the Mathieu group  $M_{12}$* , Adv. Math. Commun. **1** (2007), no. 4, 477–487. MR MR2354049
- [12] Tatiana Bandman, Gert-Martin Greuel, Fritz Grunewald, Boris Kunyavskii, Gerhard Pfister, and Eugene Plotkin, *Two-variable identities for finite solvable groups*, C. R. Math. Acad. Sci. Paris **337** (2003), no. 9, 581–586. MR MR2017730 (2004i:20029)
- [13] ———, *Identities for finite solvable groups and equations in finite simple groups*, Compos. Math. **142** (2006), no. 3, 734–764. MR MR2231200 (2007d:20027)
- [14] Richard William Barraclough, *Some calculations related to the monster group*, Ph.D. thesis, University of Birmingham, September 2005, p. 129.
- [15] C. Bates, D. Bundy, S. Hart, and P. Rowley, *Commuting involution graphs for sporadic simple groups*, J. Algebra **316** (2007), no. 2, 849–868. MR MR2358617
- [16] Chris Bates and Peter Rowley, *Involutions in Conway’s largest simple group*, LMS J. Comput. Math. **7** (2004), 337–351 (electronic). MR MR2118178 (2005j:20017)
- [17] ———, *Normalizers of  $p$ -subgroups in finite groups*, Arch. Math. (Basel) **92** (2009), no. 1, 7–13. MR MR2471982
- [18] Chris Bates and Peter J. Rowley, *Centralizers of strongly real elements in finite groups*, 2003.
- [19] Barbara Baumeister and Alexander Stein, *Commuting graphs of odd prime order elements in simple groups*, 2009.
- [20] Sarah Marie Belcastro and Gary J. Sherman, *Counting centralizers in finite groups*, Math. Mag. **67** (1994), no. 5, 366–374. MR MR1307800 (95k:20029)
- [21] Thomas R. Berger and Marcel Herzog, *Criteria for nonperfectness*, Comm. Algebra **6** (1978), no. 9, 959–968. MR MR0491948 (58 #11119)
- [22] Hans Ulrich Besche and Bettina Eick, *The groups of order at most 1000 except 512 and 768*, J. Symbolic Comput. **27** (1999), no. 4, 405–413. MR MR1681347 (2000c:20002)
- [23] Hans Ulrich Besche, Bettina Eick, and E. A. O’Brien, *The groups of order at most 2000*, Electron. Res. Announc. Amer. Math. Soc. **7** (2001), 1–4 (electronic). MR MR1826989

- [24] ———, *A millennium project: Constructing small groups*, *Internat. J. Algebra Comput.* **12** (2002), no. 5, 623–644. MR MR1935567 (2003h:20042)
- [25] Sean W. Bolt, John N. Bray, and Robert T. Curtis, *Symmetric presentation of the Janko group  $J_4$* , *J. Lond. Math. Soc. (2)* **76** (2007), no. 3, 683–701. MR MR2377119 (2008j:20040)
- [26] Nigel Boston, *Embedding 2-groups in groups generated by involutions*, *J. Algebra* **300** (2006), no. 1, 73–76. MR MR2228635 (2007e:20037)
- [27] Nigel Boston and Judy L. Walker, *2-groups with few conjugacy classes*, *Proc. Edinburgh Math. Soc. (2)* **43** (2000), no. 1, 211–217. MR MR1744712 (2000m:20045)
- [28] J. D. Bradley and R. T. Curtis, *Symmetric generation and existence of  $J_3 : 2$ , the automorphism group of the third Janko group*, *J. Algebra* **304** (2006), no. 1, 256–270. MR MR2256388 (2008e:20031)
- [29] ———, *Symmetric generation and existence of  $\text{McL} : 2$ , the automorphism group of the McLaughlin group*, *Comm. Algebra* **38** (2010), no. 2, 601–617. MR 2598901
- [30] L. Brailovsky, *On  $(3, m)$ -special elements in groups*, *Comm. Algebra* (1992), no. 11, 3301–3320. MR MR1186709 (94f:20043)
- [31] Rolf Brandl and Libero Verardi, *Finite simple groups with few conjugacy classes of subgroups*, *Japan. J. Math. (N.S.)* **18** (1992), no. 2, 347–359. MR MR1208191 (94d:20018)
- [32] J. N. Bray, R. T. Curtis, C. W. Parker, and C. B. Wiedorn, *Symmetric presentations for the Fischer groups. I. The classical groups  $\text{Sp}_6(2)$ ,  $\text{Sp}_8(2)$ , and  $3 \cdot \text{O}_7(3)$* , *J. Algebra* **265** (2003), no. 1, 171–199. MR MR1984905 (2004e:20021)
- [33] John Bray and Henrik Bäärnhielm, *Standard generators for the Suzuki groups*, 2008, pp. 1–13.
- [34] John N. Bray, Ibrahim A. I. Suleiman, Peter G. Walsh, and Robert A. Wilson, *Generating maximal subgroups of sporadic simple groups*, *Comm. Algebra* **29** (2001), no. 3, 1325–1337. MR MR1842416 (2002e:20032)
- [35] John N. Bray, John S. Wilson, and Robert A. Wilson, *A characterization of finite soluble groups by laws in two variables*, *Bull. London Math. Soc.* **37** (2005), no. 2, 179–186. MR MR2119017 (2005k:20035)

- [36] John N. Bray and Robert A. Wilson, *Explicit representations of maximal subgroups of the Monster*, J. Algebra **300** (2006), no. 2, 834–857. MR MR2228224 (2007c:20035)
- [37] ———, *On the orders of automorphism groups of finite groups. II*, J. Group Theory **9** (2006), no. 4, 537–545. MR MR2243245 (2007d:20044)
- [38] F. Buekenhout and M. Hermand, *On flag-transitive geometries and groups*, Travaux de Mathématiques de l'Université Libre de Bruxelles **1** (1991), 45–78.
- [39] Francis Buekenhout, *The geometry of the finite simple groups*, Buildings and the Geometry of Diagrams (Como, 1984), Lecture Notes in Math., vol. 1181, Springer, Berlin, 1986, pp. 1–78. MR MR843389 (87h:20032)
- [40] ———, *Finite groups and geometries: A view on the present state and on the future*, Groups of Lie Type and their Geometries (Como, 1993), London Math. Soc. Lecture Note Ser., vol. 207, Cambridge Univ. Press, Cambridge, 1995, pp. 35–42. MR MR1320513 (96a:51006)
- [41] Francis Buekenhout and Dimitri Leemans, *On a geometry of Ivanov and Shpectorov for the O'Nan sporadic simple group*, J. Combin. Theory Ser. A **85** (1999), no. 2, 148–164. MR MR1673924 (2000a:51014)
- [42] Francis Buekenhout and Sarah Rees, *The subgroup structure of the Mathieu group  $M_{12}$* , Math. Comp. **50** (1988), no. 182, 595–605. MR MR929556 (88m:20024)
- [43] Timothy C. Burness, Martin W. Liebeck, and Aner Shalev, *Base sizes for simple groups and a conjecture of Cameron*, Proc. Lond. Math. Soc. (3) **98** (2009), no. 1, 116–162. MR MR2472163 (2009m:20001)
- [44] G. Butler, *The maximal subgroups of the Chevalley group  $G_2(4)$* , Groups—St. Andrews 1981 (St. Andrews, 1981), London Math. Soc. Lecture Note Ser., vol. 71, Cambridge Univ. Press, Cambridge, 1982, pp. 186–200. MR MR679160 (84e:20014)
- [45] Gregory Butler, *The maximal subgroups of the sporadic simple group of Held*, J. Algebra **69** (1981), no. 1, 67–81. MR MR613857 (82e:20022)
- [46] Colin Campbell, George Havas, Stephen Linton, and Edmund Robertson, *Symmetric presentations and orthogonal groups*, The Atlas of Finite Groups: Ten Years On (Birmingham, 1995), London Math. Soc. Lecture Note Ser., vol. 249, Cambridge Univ. Press, Cambridge, 1998, pp. 1–10. MR MR1647409 (99m:20112)

- [47] Colin M. Campbell, George Havas, Colin Ramsay, and Edmund F. Robertson, *Nice efficient presentations for all small simple groups and their covers*, LMS J. Comput. Math. **7** (2004), 266–283 (electronic). MR MR2118175 (2006g:20046)
- [48] ———, *On the efficiency of the simple groups of order less than a million and their covers*, Experiment. Math. **16** (2007), no. 3, 347–358. MR MR2367323 (2009a:20051)
- [49] John J. Cannon, John McKay, and Kiang Chuen Young, *The nonabelian simple groups  $G$ ,  $|G| < 10^5$  — presentations*, Comm. Algebra **7** (1979), no. 13, 1397–1406. MR MR539356 (80e:20023)
- [50] David P. Cargo, Warwick de Launey, Martin W. Liebeck, and Richard M. Stafford, *Short two-variable identities for finite groups*, J. Group Theory **11** (2008), no. 5, 675–690. MR MR2446149 (2009g:20047)
- [51] Jon F. Carlson, *Maximal elementary abelian subgroups of rank 2*, J. Group Theory **10** (2007), no. 1, 5–13. MR MR2288455
- [52] ———, *The poset of elementary abelian  $p$ -subgroups having rank at least 2*, J. Group Theory (To appear).
- [53] Marston Conder, *Random walks in large finite groups*, Australas. J. Combin. **4** (1991), 49–57, Combinatorial mathematics and combinatorial computing (Palmerston North, 1990). MR MR1129268 (92h:20030)
- [54] ———, *The symmetric genus of the Mathieu groups*, Bull. London Math. Soc. **23** (1991), no. 5, 445–453. MR MR1141014 (92k:20023)
- [55] Marston Conder, George Havas, and Colin Ramsay, *Efficient presentations for the Mathieu simple group  $M_{22}$  and its cover*, Finite geometries, groups, and computation, Walter de Gruyter GmbH & Co. KG, Berlin, 2006, pp. 33–41. MR MR2257999 (2007e:20027)
- [56] Marston Conder and I. M. Isaacs, *Derived subgroups of products of an abelian and a cyclic subgroup*, J. London Math. Soc. (2) **69** (2004), no. 2, 333–348. MR MR2040608 (2005e:20030)
- [57] Marston Conder, R. A. Wilson, and A. J. Woldar, *The symmetric genus of sporadic groups*, Proc. Amer. Math. Soc. **116** (1992), no. 3, 653–663. MR MR1126192 (93a:20027)

- [58] ———, *The symmetric genus of sporadic groups: Announced results*, Coding Theory, Design Theory, Group Theory (Burlington, VT, 1990), Wiley-Intersci. Publ., Wiley, New York, 1993, pp. 163–169. MR MR1227128 (94f:20033)
- [59] S. B. Conlon, *p-groups with an abelian maximal subgroup and cyclic center*, J. Austral. Math. Soc. Ser. A **22** (1976), no. 2, 221–233. MR MR0427458 (55 #490)
- [60] G. D. Cooperman, W. Lempken, G. O. Michler, and M. Weller, *A new existence proof of Janko's simple group  $J_4$* , Computational methods for representations of groups and algebras (Essen, 1997), Progr. Math., vol. 173, Birkhäuser, Basel, 1999, pp. 161–175. MR MR1714608 (2000g:20028)
- [61] John Cossey and Trevor Hawkes, *On the largest conjugacy class size in a finite group*, Rend. Sem. Mat. Univ. Padova **103** (2000), 171–179. MR MR1789537 (2001i:20063)
- [62] John Cossey and Stewart E. Stonehewer, *The embedding of a cyclic permutable subgroup in a finite group*, Illinois J. Math. **47** (2003), no. 1-2, 89–111, Special issue in honor of Reinhold Baer (1902–1979). MR MR2031309 (2004j:20042)
- [63] R. T. Curtis, *Natural constructions of the Mathieu groups*, Math. Proc. Cambridge Philos. Soc. **106** (1989), no. 3, 423–429. MR MR1010366 (90h:20020)
- [64] ———, *Symmetric generation of the Higman-Sims group*, J. Algebra **171** (1995), no. 2, 567–586. MR MR1315913 (96b:20018)
- [65] ———, *Symmetric generation and existence of the Janko group  $J_1$* , J. Group Theory **2** (1999), no. 4, 355–366. MR MR1718738 (2001d:20016)
- [66] R. T. Curtis and B. T. Fairbairn, *Symmetric representation of the elements of the Conway group  $\cdot 0$* , J. Symbolic Comput. **44** (2009), no. 8, 1044–1067. MR MR2523767
- [67] R. T. Curtis and Z. Hasan, *Symmetric representation of the elements of the Janko group  $J_1$* , J. Symbolic Comput. **22** (1996), no. 2, 201–214. MR MR1422146 (97m:20024)
- [68] Robert T. Curtis, *Symmetric generation of groups*, Encyclopedia of Mathematics and its Applications, vol. 111, Cambridge University Press, Cambridge, 2007, With applications to many of the sporadic finite simple groups. MR MR2375232

- [69] M. R. Darafsheh, A. R. Ashrafi, and G. A. Moghani, *(p, q, r)-generations of the Conway group  $\text{Co}_1$  for odd  $p$* , Kumamoto J. Math. **14** (2001), 1–20. MR MR1835386 (2002d:20020)
- [70] Alice Devillers, Michael Giudici, Cai Heng Li, Geoffrey Pearce, and Cheryl E. Praeger, *On imprimitive rank 3 permutation groups*, 2010.
- [71] Alice Devillers, Michael Giudici, Cai Heng Li, and Cheryl E. Praeger, *Locally  $s$ -distance transitive graphs*, 2010.
- [72] Bettina Eick, M. F. Newman, and E. A. O’Brien, *The class-breadth conjecture revisited*, J. Algebra **300** (2006), no. 1, 384–393. MR MR2228655 (2007c:20044)
- [73] Bettina Eick and E. A. O’Brien, *Enumerating  $p$ -groups*, J. Austral. Math. Soc. Ser. A **67** (1999), no. 2, 191–205, Group theory. MR MR1717413 (2000h:20033)
- [74] Ben Elias, Lior Silberman, and Ramin Takloo-Bighash, *Minimal permutation representations of nilpotent groups*, Experiment. Math. **19** (2010), no. 1, 121–128.
- [75] Anthony B. Evans, *The admissibility of sporadic simple groups*, Journal of Algebra **321** (2009), no. 1, 105 – 116.
- [76] Susan Evans-Riley, *On the derived length of finite, graded Lie rings with prime-power order and groups with prime-power order.*, Bull. Austral. Math. Soc. **64** (2001), no. 1, 171–172.
- [77] Susan Evans-Riley, M. F. Newman, and Csaba Schneider, *On the soluble length of groups with prime-power order*, Bull. Austral. Math. Soc. **59** (1999), no. 2, 343–346. MR MR1680838 (2000b:20021)
- [78] Ben Fairbairn, *Improved upper bounds on the spreads of some large sporadic groups*, 2009.
- [79] ———, *Recent progress in the symmetric generation of groups*, 2010.
- [80] Reza Rezaeian Farashahi, Ruud Pellikaan, and Andrey Sidorenko, *Extractors for binary elliptic curves*, Des. Codes Cryptogr. **49** (2008), no. 1-3, 171–186. MR MR2438449
- [81] J. Fischer and J. McKay, *The nonabelian simple groups  $G$ ,  $|G| < 10^6$ —maximal subgroups*, Math. Comp. **32** (1978), no. 144, 1293–1302. MR MR0498831 (58 #16867)

- [82] Tuval Foguel, *Groups, transversals, and loops*, Comment. Math. Univ. Carolin. **41** (2000), no. 2, 261–269, Loops’99 (Prague). MR MR1780870 (2001h:20099)
- [83] A. Fukshansky and G. Stroth, *Semiclassical parabolic systems related to  $M_{24}$* , Geom. Dedicata **70** (1998), no. 3, 305–329. MR MR1624018 (99d:20023)
- [84] Shelly Garion and Aner Shalev, *Commutator maps, measure preservation, and  $T$ -systems*, Trans. Amer. Math. Soc. **361** (2009), no. 9, 4631–4651. MR MR2506422
- [85] Volker Gebhardt, *Two short presentations for Lyons’ sporadic simple group*, Experiment. Math. **9** (2000), no. 3, 333–338. MR MR1795305 (2001j:20021)
- [86] Michael Giudici, *Factorisations of sporadic simple groups*, J. Algebra **304** (2006), no. 1, 311–323. MR MR2256393
- [87] Holger W. Gollan, *A new existence proof for  $Ly$ , the sporadic simple group of  $R$ . Lyons*, J. Symbolic Comput. **31** (2001), no. 1-2, 203–209, Computational algebra and number theory (Milwaukee, WI, 1996). MR MR1806216 (2001j:20022)
- [88] María Isabel González Vasco, Martin Rötteler, and Rainer Steinwandt, *On minimal length factorizations of finite groups*, Experiment. Math. **12** (2003), no. 1, 1–12. MR MR2002670 (2004h:20035)
- [89] Nikolai Gordeev, Fritz Grunewald, Boris Kunyavskii, and Eugene Plotkin, *On the number of conjugates defining the solvable radical of a finite group*, C. R. Math. Acad. Sci. Paris **343** (2006), no. 6, 387–392. MR MR2259878 (2007f:20032)
- [90] Nikolai Gordeev, Fritz Grunewald, Boris Kunyavskii, and Eugene Plotkin, *A commutator description of the solvable radical of a finite group*, Groups Geom. Dyn. **2** (2008), no. 1, 85–120. MR MR2367209 (2008j:20057)
- [91] ———, *A description of Baer-Suzuki type of the solvable radical of a finite group*, J. Pure Appl. Algebra **213** (2009), no. 2, 250–258. MR MR2467402 (2009i:20045)
- [92] Nikolai Gordeev, Fritz Grunewald, Boris Kunyavskii, and Eugene Plotkin, *From Thompson to Baer-Suzuki: A sharp characterization of the solvable radical*, J. Algebra **323** (2010), no. 10, 2888–2904.
- [93] Simon Guest, *A solvable version of the Baer–Suzuki theorem*, Trans. Amer. Math. Soc. **362** (2010), 5909–5946. MR MR2661502



- [94] R. M. Guralnick, W. M. Kantor, M. Kassabov, and A. Lubotzky, *Presentations of finite simple groups: A quantitative approach*, J. Amer. Math. Soc. **21** (2008), no. 3, 711–774. MR MR2393425
- [95] George Havas and Charles C. Sims, *A presentation for the Lyons simple group*, Computational methods for representations of groups and algebras (Essen, 1997), Progr. Math., vol. 173, Birkhäuser, Basel, 1999, pp. 241–249. MR MR1714614 (2000g:20030)
- [96] T. Hawkes, I. M. Isaacs, and M. Özaydin, *On the Möbius function of a finite group*, Rocky Mountain J. Math. **19** (1989), no. 4, 1003–1034. MR MR1039540 (90k:20046)
- [97] P. E. Holmes, *On minimal factorisations of sporadic groups*, Experiment. Math. **13** (2004), no. 4, 435–440. MR MR2118268 (2005k:20032)
- [98] ———, *A classification of subgroups of the Monster isomorphic to  $S_4$  and an application*, J. Algebra **319** (2008), no. 8, 3089–3099. MR MR2408306 (2009b:20023)
- [99] P. E. Holmes and R. A. Wilson, *A new maximal subgroup of the Monster*, J. Algebra **251** (2002), no. 1, 435–447. MR MR1900293 (2003d:20022)
- [100] Petra E. Holmes and Robert A. Wilson, *A new computer construction of the Monster using 2-local subgroups*, J. London Math. Soc. (2) **67** (2003), no. 2, 349–364. MR MR1956140 (2003k:20017)
- [101] Derek F. Holt and Colva M. Roney-Dougal, *Constructing maximal subgroups of classical groups*, LMS J. Comput. Math. **8** (2005), 46–79 (electronic). MR MR2123130 (2005k:20027)
- [102] A. Jaikin-Zapirain, M. F. Newman, and E. A. O’Brien, *On  $p$ -groups having the minimal number of conjugacy classes of maximal size*, Israel J. Math. **172** (2009), 119–123. MR MR2534242
- [103] Rodney James, M. F. Newman, and E. A. O’Brien, *The groups of order 128*, J. Algebra **129** (1990), no. 1, 136–158. MR MR1037398 (90j:20050)
- [104] David Joyner, Richard Kreminski, and Joann Turisco, *Applied abstract algebra*, Johns Hopkins University Press, Baltimore, MD, 2004. MR MR2378252
- [105] W. F. Ke and K. S. Wang, *On the Frobenius groups with kernel of order 64*, Contributions to general algebra, 7 (Vienna, 1990), Hölder-Pichler-Tempsky, Vienna, 1991, pp. 221–233. MR MR1143086 (93c:20054)

- [106] Hyun Kyu Kim, *Representation theoretic existence proof for Fischer group  $Fi_{23}$* , Honours thesis, Cornell University, 2009.
- [107] Hyun Kyu Kim and Gerhard O. Michler, *Construction of  $Co_1$  from an irreducible subgroup  $M_{24}$  of  $GL_{11}(2)$* , 2009.
- [108] Joachim König, *Solvability of generalized monomial groups*, 2009.
- [109] M. Kratzer, G. O. Michler, and M. Weller, *Harada group uniquely determined by centralizer of a 2-central involution*, Proceedings of the First Sino-German Workshop on Representation Theory and Finite Simple Groups (Beijing, 2002), vol. 10, 2003, pp. 303–372. MR MR2014018 (2004h:20020)
- [110] Mathias Kratzer, *Uniform and natural existence proofs for Janko’s sporadic groups  $J_2$  and  $J_3$* , Arch. Math. (Basel) **79** (2002), no. 1, 5–18. MR MR1923032 (2003g:20027)
- [111] Mathias Kratzer, Wolfgang Lempken, Gerhard O. Michler, and Katsushi Waki, *Another existence and uniqueness proof for McLaughlin’s simple group*, J. Group Theory **6** (2003), no. 4, 443–459. MR MR2007740 (2004i:20027)
- [112] J. L. Leavitt, G. J. Sherman, and M. E. Walker, *Rewriteability in finite groups*, Amer. Math. Monthly **99** (1992), no. 5, 446–452. MR MR1163633 (93c:20047)
- [113] Dimitri Leemans, *The rank 2 geometries of the simple Suzuki groups  $Sz(q)$* , Beiträge Algebra Geom. **39** (1998), no. 1, 97–120. MR MR1614433 (99b:20030)
- [114] ———, *On a rank four geometry for the Hall-Janko sporadic group*, J. Combin. Theory Ser. A **101** (2003), no. 1, 160–167. MR MR1953287 (2004a:20023)
- [115] Dimitri Leemans, *On computing the subgroup lattice of  $O’N$* , 2008, p. 23.
- [116] Dimitri Leemans, *Locally  $s$ -arc-transitive graphs related to sporadic simple groups*, J. Algebra **322** (2009), no. 3, 882–892. MR MR2531226
- [117] Wolfgang Lempken, *On the existence and uniqueness of the sporadic simple groups  $J_2$  and  $J_3$  of  $Z$ . Janko*, J. Group Theory **4** (2001), no. 2, 223–232. MR MR1812328 (2002b:20021)
- [118] ———, *2-local amalgams for the simple groups  $GL(5, 2)$ ,  $M_{24}$  and  $He$ . II*, Proceedings of the First Sino-German Workshop on Representation Theory and Finite Simple Groups (Beijing, 2002), vol. 10, 2003, pp. 373–380. MR MR2014019 (2004h:20021)

- [119] ———, *2-local amalgams for the simple groups  $GL(5, 2)$ ,  $M_{24}$  and He*, Illinois J. Math. **47** (2003), no. 1-2, 361–393, Special issue in honor of Reinhold Baer (1902–1979). MR MR2031329 (2004m:20035)
- [120] ———, *On 2-local amalgams proving existence and uniqueness of  $McL$  and  $3.McL$* , IEM, Essen. 2002.
- [121] Mark L. Lewis, *Brauer pairs of Camina  $p$ -groups of nilpotence class 2*, Arch. Math. (Basel) **92** (2009), no. 2, 95–98. MR MR2481504
- [122] Martin W. Liebeck, Aner Shalev, Pham Huu Tiep, and E.A. O’Brien, *The Ore conjecture*, 2008.
- [123] F. Lübeck, K. Magaard, and E. A. O’Brien, *Constructive recognition of  $SL_3(q)$* , J. Algebra **316** (2007), no. 2, 619–633. MR MR2356848
- [124] Arturo Magidin, *Capability of nilpotent products of cyclic groups*, J. Group Theory **8** (2005), no. 4, 431–452. MR MR2152690 (2006c:20073)
- [125] John McKay and Kiang Chuen Young, *The nonabelian simple groups  $G$ ,  $|G| < 10^6$  — minimal generating pairs*, Math. Comp. **33** (1979), no. 146, 812–814. MR MR521296 (80d:20018)
- [126] Gerhard O. Michler, *On the uniqueness of the finite simple groups with a given centralizer of a 2-central involution*, Illinois J. Math. **47** (2003), no. 1-2, 419–444, Special issue in honor of Reinhold Baer (1902–1979). MR MR2031331 (2005b:20025)
- [127] Gerhard O. Michler, *Theory of finite simple groups*, first ed., New Mathematical Monographs, vol. 8, Cambridge University Press, Cambridge, 2006.
- [128] Gerhard O. Michler and Andrea Previtali, *Another existence and uniqueness proof for the Higman-Sims simple group*, Algebra Colloq. **12** (2005), no. 3, 369–398. MR MR2144992
- [129] ———, *O’Nan group uniquely determined by the centralizer of a 2-central involution*, J. Algebra Appl. **6** (2007), no. 1, 135–171. MR MR2302699 (2009a:20029)
- [130] Gerhard O. Michler and Lizhong Wang, *Another existence and uniqueness proof of the Tits group*, Algebra Colloq. **15** (2008), no. 2, 241–278. MR MR2400182

- [131] Gerhard O. Michler, Michael Weller, and Katsushi Waki, *Natural existence proof for Lyons simple group*, J. Algebra Appl. **2** (2003), no. 3, 277–315. MR MR1997749 (2004i:20028)
- [132] Jamshid Moori, *Subgroups of 3-transposition groups generated by four 3-transpositions*, Quaestiones Math. **17** (1994), no. 1, 83–94. MR MR1276010 (95d:20032)
- [133] M. F. Newman and E. A. O’Brien, *Classifying 2-groups by coclass*, Trans. Amer. Math. Soc. **351** (1999), no. 1, 131–169. MR MR1458332 (99c:20020)
- [134] M. F. Newman, E. A. O’Brien, and M. R. Vaughan-Lee, *Groups and nilpotent Lie rings whose order is the sixth power of a prime*, J. Algebra **278** (2004), no. 1, 383–401. MR MR2068084 (2005c:20034)
- [135] Jeanne Nielsen, *Rewritable sequencing of groups*, Ars Combin. **36** (1993), 207–214. MR MR1246914 (94m:20058)
- [136] Simon Norton, *Computing in the Monster*, J. Symbolic Comput. **31** (2001), no. 1-2, 193–201, Computational algebra and number theory (Milwaukee, WI, 1996 ). MR MR1806215 (2001k:20029)
- [137] E. A. O’Brien, *The groups of order 256*, J. Algebra **143** (1991), no. 1, 219–235. MR MR1128656 (93e:20029)
- [138] E. A. O’Brien and M. R. Vaughan-Lee, *The groups with order  $p^7$  for odd prime  $p$* , J. Algebra **292** (2005), no. 1, 243–258. MR MR2166803
- [139] E. A. O’Brien and Michael Vaughan-Lee, *The 2-generator restricted Burnside group of exponent 7*, Internat. J. Algebra Comput. **12** (2002), no. 4, 575–592. MR MR1919689 (2003i:20032)
- [140] Elizabeth A. Ormerod, *On the Wielandt length of metabelian  $p$ -groups*, Arch. Math. (Basel) **57** (1991), no. 3, 212–215. MR MR1119892 (92m:20016)
- [141] Christopher Parker, *Generators and relations for the Lyons sporadic simple group*, Arch. Math. (Basel) **78** (2002), no. 2, 97–103. MR MR1888009 (2002m:20030)
- [142] Christopher Parker and Peter Rowley, *Classical groups in dimension 3 as completions of the Goldschmidt  $G_3$ -amalgam*, J. London Math. Soc. (2) **62** (2000), no. 3, 802–812. MR MR1794286 (2001j:20019)

- [143] ———, *Sporadic simple groups which are completions of the Goldschmidt  $G_3$ -amalgam*, J. Algebra **235** (2001), no. 1, 131–153. MR MR1807659 (2001k:20030)
- [144] ———, *Local characteristic  $p$  completions of weak  $BN$ -pairs*, Proc. London Math. Soc. (3) **93** (2006), no. 2, 325–394. MR MR2251156
- [145] ———, *A 3-local identification of the alternating group of degree 8, the McLaughlin simple group and their automorphism groups*, J. Algebra **319** (2008), no. 4, 1752–1775. MR MR2383065 (2009b:20024)
- [146] M. A. Pellegrini and M. C. Tamburini, *Hurwitz generation of the universal covering of  $Alt(n)$* , J. Group Theory **13** (2010), no. 5, 649–657.
- [147] Colin Reid, *A problem in the Kourovka notebook concerning the number of conjugacy classes of a finite group*, 2008.
- [148] Evija Ribnere, *Sequences of words characterizing finite solvable groups*, Monatsh. Math. **157** (2009), no. 4, 387–401. MR MR2520689
- [149] José L. Rodríguez, Jérôme Scherer, and Antonio Viruel, *Non-simple localizations of finite simple groups*, J. Algebra **305** (2006), no. 2, 765–774. MR MR2266851
- [150] Mohamed Sayed, *Combinatorial method in the coset enumeration of symmetrically generated groups. II. Monomial modular representations*, Int. J. Algebra **1** (2007), no. 9-12, 505–518. MR MR2380980 (2008k:20067)
- [151] ———, *Combinatorial method in the coset enumeration of symmetrically generated groups*, Int. J. Comput. Math. **85** (2008), no. 7, 993–1001. MR MR2428981 (2009f:20001)
- [152] Csaba Schneider, *Some results on the Derived Series of Finite  $p$ -groups*, Ph D thesis, Australian National University, 1999.
- [153] Csaba Schneider, *Groups of prime-power order with a small second derived quotient*, J. Algebra **266** (2003), no. 2, 539–551. MR MR1995127 (2004e:20030)
- [154] ———, *Small derived quotients in finite  $p$ -groups*, Publ. Math. Debrecen **69** (2006), no. 3, 373–378. MR MR2273990
- [155] U. Schoenwaelder, *Finite groups with a Sylow 2-subgroup of type  $M_{24}$ . I, II*, J. Algebra **28** (1974), 20–45; *ibid.* **28** (1974), 46–56. MR MR0369511 (51 #5744)

- [156] Gary J. Sherman, Thomas J. Tucker, and Mark E. Walker, *How Hamiltonian can a finite group be?*, Arch. Math. (Basel) **57** (1991), no. 1, 1–5. MR MR1111106 (92f:20026)
- [157] Michael C. Slattery, *Generation of groups of square-free order*, J. Symbolic Comput. **42** (2007), no. 6, 668–677. MR MR2325920
- [158] Leonard H. Soicher, *A new uniqueness proof for the Held group*, Bull. London Math. Soc. **23** (1991), no. 3, 235–238. MR MR1123331 (92k:20025)
- [159] R. Staszewski, H. Völklein, and G. Wiesend, *Counting generating systems of a finite group from given conjugacy classes*, Computational aspects of algebraic curves, Lecture Notes Ser. Comput., vol. 13, World Sci. Publ., Hackensack, NJ, 2005, pp. 256–263. MR MR2182044 (2006f:20002)
- [160] Mark Stather, *Constructive Sylow theorems for the classical groups*, J. Algebra **316** (2007), no. 2, 536–559. MR MR2356843
- [161] G. Stroth and R. Weiss, *A new construction of the group Ru*, Quart. J. Math. Oxford Ser. (2) **41** (1990), no. 162, 237–243. MR MR1053664 (91m:20025)
- [162] Gernot Stroth and Richard Weiss, *Modified Steinberg relations for the group  $J_4$* , Geom. Dedicata **25** (1988), no. 1-3, 513–525, Geometries and groups (Noordwijkerhout, 1986). MR MR925850 (89c:20032)
- [163] Ibrahim A. I. Suleiman and Robert A. Wilson, *Standard generators for  $J_3$* , Experiment. Math. **4** (1995), no. 1, 11–18. MR MR1359414 (96j:20024)
- [164] Fritz Grunewald Tatiana Bandman, Shelly Garion, *On the surjectivity of engel words on  $psl(2,q)$* , 2010, pp. 1–22.
- [165] John van Bon, Arjeh M. Cohen, and Hans Cuypers, *Graphs related to Held’s simple group*, J. Algebra **123** (1989), no. 1, 6–26. MR MR1000473 (90h:20019)
- [166] John van Bon and Richard Weiss, *A characterization of the groups  $Fi_{22}$ ,  $Fi_{23}$  and  $Fi_{24}$* , Forum Math. **4** (1992), no. 4, 425–432. MR MR1166264 (93d:20035)
- [167] Richard Weiss, *A geometric characterization of the groups  $M_{12}$ , He and Ru*, J. Math. Soc. Japan **43** (1991), no. 4, 795–814. MR MR1126150 (92k:20076)
- [168] ———, *A geometric characterization of the groups McL and  $Co_3$* , J. London Math. Soc. (2) **44** (1991), no. 2, 261–269. MR MR1136439 (93g:20035)

- [169] Michael Weller, Gerhard O. Michler, and Andrea Previtali, *Thompson's sporadic group uniquely determined by the centralizer of a 2-central involution*, J. Algebra **298** (2006), no. 2, 371–459. MR MR2217621 (2006m:20022)
- [170] Stewart Wilcox, *Reduction of the Hall-Paige conjecture to sporadic simple groups*, J. Algebra **321** (2009), no. 5, 1407–1428. MR MR2494397
- [171] J. B. Wilson, *Finding central decompositions of  $p$ -groups*, J. Group Theory **12** (2009), 813–830.
- [172] Robert A. Wilson, *New computations in the monster*, 2006, p. 11.
- [173] Şükrü Yalçinkaya, *Black box groups*, Turk. J. Math. **31** (2007), no. Suppl, 171–210.
- [174] Ivan Yudin, *Presentation for parabolic subgroups of  $GL_n(F_2)$* , 2010.