

Lattice Codes

94B10

- [1] T. L. Alderson and Keith E. Mellinger, *2-dimensional optical orthogonal codes from Singer groups*, Discrete Appl. Math. **157** (2009), no. 14, 3008–3019. MR MR2553388
- [2] Masaaki Harada, *On the existence of frames of the Niemeier lattices and self-dual codes over F_p* , J. Algebra **321** (2009), no. 8, 2345–2352. MR MR2501524 (2010c:94066)
- [3] C. Hollanti, J. Lahtonen, and Hsiao feng Lu, *Maximal orders in the design of dense space-time lattice codes*, IEEE Transactions on Information Theory **54** (2008), no. 10, 4493–4510.
- [4] C. Hollanti, J. Lahtonen, K. Ranto, and R. Vehkalahti, *On the densest MIMO lattices from cyclic division algebras*, IEEE Trans. Comp. **55** (2009), no. 8, 3751–3780.
- [5] Camilla Hollanti, Jyrki Lahtonen, Kalle Ranto, and Roope Vehkalahti, *Optimal matrix lattices for MIMO codes from division algebras*, IEEE International Symposium on Information Theory. ISIT 2006, July 2006, pp. 783–787.
- [6] Camilla Hollanti and Hsiao-Feng Lu, *Construction methods for asymmetric multiblock space-time codes*, IEEE Trans. Inform. Theory **55** (2009), no. 3, 1086–1103.
- [7] Camilla Hollanti and Kalle Ranto, *Maximal orders in space-time coding: Construction and decoding*, 2008.
- [8] Camilla J. Hollanti, *Order-theoretic methods for space-time coding: Symmetric and asymmetric designs*, PhD Thesis, Turku Centre for Computer Science, 2008.
- [9] Jyrki Lahtonen and Camilla Hollanti, *A new tool: Constructing STBCs from maximal orders in central simple algebras*, IEEE Information Theory Workshop, Punta del Este, Uruguay, March 13–17, 2006, 2006.
- [10] Roope Vehkalahti, *Class field theoretic methods in the design of lattice signal constellations*, Ph.D. thesis, University of Turku, 2008, p. 101.